INDEXES TO THE JOURNAL AND COMMUNICATIONS

compiled by

The American Ceramic Society

VOLUME 70, 1987

AUTHOR INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications;* numbers following are *page* numbers.

Abderrazik, Ghazi Ben; Millot, Francis; Moulin, Gerard; and Huntz, Anne Marie
Experimental procedure for determining transport properties of oxide scales and Determination of transport properties of alumina oxide scale—comment. (12) C374
Abdul-Maula, Samir See Odler, Ivan
Abe, Yoshihiro See Hosono, Hideo
Abelard, Pierre See Tanaka, Junzo
Agrawal, D. K. See Limaye, S. Y.
Ahn, Sang-Ho See Stock, Stuart R.
Ahn, Zou-Sam; and Schulze, Walter A.
Conventionally sintered $(Na_{0.5}K_{0.5})NbO_3$ with barium additions. (1) C18
Aka, Gerard; Thery, Jeanine; and Vivien, Daniel
Low-temperature synthesis and characterization of mixed sodium cerium(III) hexa-aluminate. (8) C179
Akaishi, Minoru; Yamaoka, Shinobu; Tanaka, Junzo; Ohsawa, Toshikazu; and Fukunaga, Osamu
Synthesis of sintered diamond with high electrical resistivity and hardness. (10) C237
Akbar, Sheikh A.; Kaburagi, Makoto; Sato, Hiroshi; and Kikuchi, Ryoichi
Demixing of oxides under a temperature gradient. (4) 246
Akimune, Y.; and Bradt, Richard C.
Knoop microhardness anisotropy of single-crystal stoichiometric $MgAl_2O_4$ spinel. (4) C84
Akinc, Mufit See Ciftcioglu, Mushin
Aksay, Ilhan A. See Sonuparlak, Birol
Aleksic, Radoslav See Stevic, Smiljka
Alzyab, B.; Perry, C. H.; and Ingel, R. P.
High-pressure phase transitions in zirconia and yttria-doped zirconia. (10) 760
Amateau, Maurice F. See Cree, James W.
Anderson, Harlan U. See Guha, Jyoti P.; Yu, Chi-kung J.
Ando, Ken See Oishi, Yasumichi
Ando, Ken; Momoda, Masataka; Azumi, Takeshi; and Kitajima, Sadakichi
Solubility of NiO in Al_2O_3. (11) C309
Aoki, Noriaki See Inoue, Hiroyuki
Appleby, John B. See Young, Ho-Han
Arai, Kazuo See Ishii, Yoshiro
Arnold, George W. See Bunker, Bruce C.
Ashmore, Sheila D. See Taylor, Peter
Asokan, T.; Iyengar, G. N. K.; and Nagabhushana, G. R.
Influence of process variables on microstructure and *V-I* characteristics of multicomponent ZnO-based nonlinear resistors. (9) 643
Azumi, Takeshi See Ando, Ken
Backhaus-Ricoult, M.; and Carter, C. B.
Mechanism of the internal reduction of (Mg,Cu)O. (10) C291
Backovic, Nevenka See Stevic, Smiljka
Baik, Sunggi; and Becher, Paul F.
Effect of oxygen contamination on densification of TiB_2. (8) 527
Baik, Sunggi; and Raj, Rishi
Liquid-phase bonding of silicon nitride ceramics. (5) C105
Baik, Sunggi; and White, Calvin L.
Anisotropic calcium segregation to the surface of Al_2O_3. (9) 682
Balfe, Carol A. See Bunker, Bruce C.
Bamberger, Carlos E.; and Begun, George M.
Sodium titanates: stoichiometry and Raman spectra. (3) C48
Bandyopadhyay, Siddhartha; and Mukerji, Joydeb
Sintering and properties of Sialons without externally added liquid phase. (10) C273
Barnes, John See Van der Biest, Omer O.
Bates, J. B. See Dudney, Nancy J.
Bates, J. Lambert
Heterogeneous dissolution of refractory oxides in molten calcium aluminum silicate. (3) C55; See also Weber, William J.; Windisch, Charles F., Jr.
Baumard, Jean-Francois See Tanaka, Junzo
Becher, Paul F. See Baik, Sunggi; Tiegs, T. N.
Becher, Paul F.; and Tiegs, Terry N.
Toughening behavior involving multiple mechanisms: whisker reinforcement and zirconia toughening. (9) 651
Begun, George M. See Bamberger, Carlos E.
Bender, Barry A.; Rice, Roy W.; and Spann, Joseph R.
Transmission electron microscopic characterization of ceramics formed by pyrolysis of organometallic polymer precursors. (3) C58
Bentur, Arnon; and Cohen, M. D.
Effect of condensed silica fume on the microstructure of the interfacial zone in portland cement mortars. (10) 738
Beruto, Dario; Botter, Rodolfo; and Searcy, Alan W.
H_2O-catalyzed sintering of ≈2-nm-cross-section particles of MgO. (3) 155
Blachere, J. R.; and Klimovich, D. F.
Oxide thickness measurement in the electron probe microanalyzer. (11) C324
Blendell, John E. See Kaysser, Wolfgang A.
Block, S. See Da Jornada, J. A. H.
Boutner, Lynn A. See Sales, Brian C.
Boget, Delmar I. See Windisch, Charles F., Jr.
Bonnell, Dawn A.; Tien, Tseng-Ying; and Ruhle, Manfred
Controlled crystallization of the amorphous phase in silicon nitride ceramics. (7) 460
Borom, Marcus P.; and Johnson, Curtis A.
Thermomechanical mismatch in ceramic-fiber-reinforced glass-ceramic composites. (1) 1
Boscoletto, Angelo Boscolo See Polato, Pietro
Botter, Rodolfo See Beruto, Dario
Bowen, H. Kent See Garino, Terry J.
Bowling, Gregory D.; Faber, Katherine T.; and Hoagland, R. G.
Computer simulations of *R*-curve behavior in microcracking materials. (11) 849
Bradt, Richard C. See Akimune, Y.; Jenkins, Michael G.; Li, Z.; Rogers, Wayne P.; Wong, Jade Y.
Bright, Eric; and Readey, Dennis W.
Dissolution kinetics of TiO_2 in HF-HCl solutions. (12) 900
Bright, Jeffrey D. See Cutler, Raymond A.
Brikowski, Duane See Sawyer, Linda C.
Brook, Richard J. See Rahaman, Mohamed
Brow, Richard K.
Oxidation states of chromium dissolved in glass determined by X-ray photoelectron spectroscopy. (6) C129
Brow, Richard K.; and Pantano, Carlo G.
Thermochemical nitridation of microporous silica films in ammonia. (1) 9
Brown, Ian W. M. See MacKenzie, Kenneth J. D.
Brown, Paul Wencil
Early hydration of tetracalcium aluminoferrite in gypsum and lime-gypsum solutions. (7) 493
Brown, Sherman D. See Cowap, Stephen F.
Bruce, Allen J. See Van Uitert, Legrand G.
Brumels, Mark D.; and Pletka, Bruce J.
Fracture initiation in the directionally solidified NiO-CaO eutectic. (5) 305
Budd, Kenton D. See Dey, Sandwip K.
Bunker, Bruce C. See Michalske, Terry A.
Bunker, Bruce C.; Arnold, George W.; Rajaram, Mohan; and Day, Delbert E.
Corrosion of phosphorus oxynitride glasses in water and humid air. (6) 425
Bunker, Bruce C.; Tallant, David R.; Balfe, Carol A.; Kirkpatrick, R. James; Turner, Gary L.; and Reidmeyer, Mary R.
Structure of phosphorus oxynitride glasses. (9) 675
Burke, Michael A. See Soules, Thomas F.
Burkhart, Lawrence See Ciftcioglu, Mushin
Busbey, Robert F. See Soules, Thomas F.
Bussiere, Jean F. See Jen, Cheng-Kui
Cannon, R. M. See Tac, Sung Oh
Cao, Heng C.; Dalgleish, Brian J.; Hsueh, Chun-Hway; and Evans, A. G.
High-temperature stress corrosion cracking in ceramics. (4) 257
Carter, C. B. See Backhaus-Ricoult, M.; Simpson, Y. Kouh
Carter, David H.; and Hurley, George F.
Crack deflection as a toughening mechanism in SiC-whisker-reinforced $MoSi_2$. (4) C79
Carville, Patricia See Swiler, Daniel R.
Castano, Victor M.; Takamori, Takeshi; and Shafer, Merrill W.
Transmission electron microscopic observations of α-cristobalite in fused silica. (4) C77
Chakravorty, Akshoy Kumar; and Ghosh, Dilip Kumar
Crystallization behavior of Al_2O_3 in the presence of SiO_2. (3) C46
Chan, K. S. See Page, Richard A.
Chen, I-Wei; Wu, Xin; Keating, Steven J.; Keating, Carol Y.; Johnson, Paul A; and Tien, Tseng-Ying
Texture development in $YBa_2Cu_3O_x$ by hot extrusion and hot-pressing. (12) C388

Chen, Jyh-Shim; Young, Ron-Jong; and Wu, Tai-Bor
Densification and microstructural development of $SrTiO_3$ sintered with V_2O_5. (10) C260

Chen, Rong T. See Sawyer, Linda C.

Chen, San-Yuan See Lu, Hong-Yang

Chin, Kai-Yin See Seshadri, S. G.

Choi, Doo Jin; and Scott, William D.
Devitrification and delayed crazing of SiO_2 on single-crystal silicon and chemically vapor-deposited silicon nitride. (10) C269

Chokshi, Atul H.; and Porter, John R.
Cavity development during creep deformation in alumina with a bimodal grain size distribution. (3) 197

Chou, Ye T.; Ko, Ya T.; and Yan, Man F.
Fluid flow model for ceramic tape casting. (10) C280

Chu, Chung-tse; and Dunn, Bruce
Preparation of high-T_c superconducting oxides by the amorphous citrate process. (12) C375

Chuang, Tze-Jer
Effect of surface tension on the toughness of glass. (3) 160

Chung, Chui-Jong See Jen, Cheng-Kuei

Cityung, Kenneth See Johnson, Lloyd F.; Oguma, Masaomi

Cifticioglu, Mushin; Akiac, Mufit; and Burkhart, Lawrence
Effect of agglomerate strength on sintered density for yttria powders containing agglomerates of monosize spheres. (11) C329

Clarke, David R.
Equilibrium thickness of intergranular glass phases in ceramic materials. (1) 15; See also Frase, Katharine G.

Clausen, Edward M., Jr. See El-Bayoumi, Osama H.

Cohen, Jerome B. See Stock, Stuart R.

Cohen, M. D. See Bentur, Arnon

Colgan, E. G. See Simpson, Y. Kouh

Conway, Joseph C., Jr. See Kirchner, Henry P.; Zdaniewski, Wieslaw A.

Cook, Robert F. See Marshall, David B.

Cooper, Alfred R. See Qian, Z.; Sane, Ajit Y.

Corish, John See Van der Biest, Omer O.

Coutures, Jean Pierre; and Coutures, Juliette
The System HfO_2-TiO_2. (6) 383

Coutures, Juliette See Coutures, Jean Pierre

Cowap, Stephen F.; and Brown, Sherman D.
Technique for the static fatigue testing of fibers. (4) C67

Coyle, Thomas D. See White, Grady S.

Cree, James W.; and Amateau, Maurice F.
Degradation of silicon carbide by molten lithium. (11) C318

Cross, L. E. See Halliyal, A.

Curreri, Peter A. See Ethridge, Edwin C.

Cutler, Raymond A. See Virkar, Anil V.

Cutler, Raymond A.; Bright, Jeffrey D.; Virkar, Anil V.; and Shetty, Dinesh K.
Strength improvement in transformation-toughened alumina by selective phase transformation. (10) 714

D'Antonio, Peter See Konnert, John

Da Jornada, J. A. H.; Piermarini, G. J.; and Block, S.
Metastable retention of a high-pressure phase of zirconia. (9) 628

Dahmen, U. See Kim, M.-G.

Daigleish, Brian J. See Cao, Heng C.

Dutta, R. K.
Thermal expansion of $12CaO{\cdot}7Al_2O_3$. (10) C288

Dauskardt, R. H.; Yu, W.; and Ritchie, R. O.
Fatigue crack propagation in transformation-toughened zirconia ceramic. (10) C248

Day, Delbert E. See Bunker, Bruce C.; Hyatt, M. J.; Peng, Yongren B.; Rajaram, Mohan; Ray, Chandra S.

De Guire, Mark R.; Prasanna, T. R. S.; Kalonji, Gretchen; and O'Handley, Robert C.
Phase equilibria in the iron oxide-cobalt oxide-phosphorus oxide system. (11) 831

De Jong, Renco; McCauley, Ronald A.; and Tambuyser, Paul
Growth of twinned β-silicon carbide whiskers by the vapor-liquid-solid process. (11) C338

De Jonghe, Lutgard C. See Lin, Mark; Rahaman, Mohamed N.

Dey, Sandwip K.; Budd, Kenton D.; and Payne, David A.
Structure of polymeric $PbTiO_3$ gels. (10) C295

Dickerson, Robert M.; Swain, Michael V.; and Heuer, Arthur H.
Microstructural evolution in Ca-PSZ and the room-temperature instability of tetragonal ZrO_2. (4) 214

Dimos, Duane; and Kohlstedt, David L.
Diffusional creep and kinetic demixing in yttria-stabilized zirconia. (8) 531

Donaldson, Kimberly Y. See Oguma, Masaomi

Doremus, Robert H. See Klug, Frederic J.; Mathew, James

Drofenik, Miha H.
Oxygen partial pressure and grain growth in donor-doped $BaTiO_3$. (5) 311; See also Krasevec, Viktor

Dube, D. C.; Lanagan, Michael T.; and Jang, Sei-Joo
Dielectric measurements of package materials in an inhomogeneously filled rectangular waveguide. (10) C278

Dudney, Nancy J.
Enhanced ionic conduction in $AgCl$-Al_2O_3 composites induced by plastic deformation. (2) 65

Dudney, Nancy J.; and Bates, J. B.
Hydration of sodium β- and β''-aluminas. (11) 816

Dunn, Bruce See Chu, Chung-tse

Dutta, Sunil See Hurst, Janet B.

Eguchi, Katsuya See Ikegami, Takayasu

Eibl, Oliver; Pongratz, Peter; Skalicky, Peter; and Schmelz, Helmut
Formation of (111) twins in $BaTiO_3$ ceramics. (8) C195

El-Bayoumi, Osama H.; Simmons, Catherine J.; Clausen, Edward M., Jr.; Suscavage, Michael J.; and Simmons, Joseph H.
Phase stability of CdF_2-LiF-AlF_3-PbF_2 glasses. (7) 510

Emery, Ashley F. See Rogers, Wayne P.

Endo, Kazuaki; Fujimoto, Kenji; and Murakawa, Kyohei
Dielectric properties of ceramics in $Ba(Co_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1/3}Nb_{2/3})O_3$ solid solutions. (9) C215

Endo, Tadashi See Ishitsuka, Masayuki

Enomoto, Yuji See Shobu, Kazuhisa

Eppler, Richard A.
Effect of antimony oxide on the anatase-rutile transformation in titanium dioxide. (4) C64

Ethridge, Edwin C.; Curreri, Peter A.; and Pline, David
Heterogeneous-nucleation and glass-formation studies of $56Ga_2O_3{\cdot}44CaO$. (8) 553

Evans, Anthony G. See Cao, Heng C.; Luh, Ellice Y.; Marion, J. E.

Exner, H. E. See Seeker, U.

Faber, John, Jr. See Predecki, Paul

Faber, Katherine T. See Bowling, Gregory D.

Fairbanks, Carolyn J. See Swanson, Peter L.

Farabaugh, Edward N. See Gruninger, Mark F.

Farmer, Serene C.; Heuer, Arthur H.; and Hannink, R. H. J.
Eutectoid decomposition of MgO-partially-stabilized ZrO_2. (6) 431

Fett, Theo See Himsolt, Guenther

Flagan, Richard C. See Gregory, Otto J.

Flaitz, Philip L.; and Pask, Joseph A.
Penetration of polycrystalline alumina by glass at high temperatures. (7) 449

Flevaris, Nikos K.
Spinodal decomposition in tetragonal systems: SnO_2-TiO_2. (5) 301

Frase, Katharine G.; Liniger, E. G.; and Clarke, David R.
Phase compatibilities in the system Y_2O_3-BaO-CuO at 950°C. (9) C204

Freiman, Stephen W. See White, Grady S.

Freudenberg, Bernhard; and Mocellin, Alain
Aluminum titanate formation by solid-state reaction of fine Al_2O_3 and TiO_2 powders. (1) 33

Fujimoto, Kenji See Endo, Kazuaki

Fujitsu, Satoru; Toyoda, Hiroshi; and Yanagida, Hiroaki
Origin of ZnO varistor. (4) C71

Fukunaga, Osamu See Akaishi, Minoru

Galgali, R. K. See Syamaprasad, U.

Gallo, Christopher A.; and Schulze, Walter A.
Alternating-current-assisted poling of lead zirconate titanate (PZT). (2) C33

Garino, Terry J.; and Bowen, H. Kent
Deposition and sintering of particle films on a rigid substrate. (11) C315; Photolithographic patterning of particulate films. (11) C311

Garofalini, Stephen H. See Rosenthal, Allan B.

Gartner, Ellis M.; and Jennings, Hamlin M.
Thermodynamics of calcium silicate hydrates and their solutions. (10) 743

Ghosh, Dilip Kumar See Chakravorty, Akshoy Kumar

Gillis, Peter P. See Medrano, Ricardo E.

Glasemann, G. Scott; Jakus, Karl; and Ritter, John E., Jr.
Strength variability of indented soda-lime glass. (6) 441

Glasemann, G. Scott; Ritter, John E., Jr.; and Jakus, Karl
Mixed-mode fracture in soda-lime glass using indentation flaws. (9) 630

Glaeser, Andreas M. See Rödel, Juergen

Glasser, Fredrik P.; Lachowski, Eric E.; and Macphee, Donald E.
Compositional model for calcium silicate hydrate (C-S-H) gels, their solubilities, and free energies of formation. (7) 481

Goutiere, G. See Lameille, J. M.

Green, David J. See Hagiwara, Hiroshi

Gregory, Otto J.; Lee, Sang-Baek; and Flagan, Richard C.
Reaction sintering of submicrometer silicon powder. (3) C52

Griffin, Curtis W. See Weber, William J.

Grodkiewicz, William H. See Van Uitert, Legrand G.

Gruber, Eugene E.; and Kramer, John M.
Modeling fission-gas behavior in metallic fuels. (10) 699

Gruninger, Mark F.; Lawn, Brian R.; Farabaugh, Edward N.; and Wachtman, John B., Jr.
Measurement of residual stresses in coatings on brittle substrates by indentation fracture. (5) 344

Guha, Jyoti P.; and Anderson, Harlan U.
Microstructural inhomogeneity in sintered $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-based dielectrics. (3) C39

Gupta, Prabhat K.
Combined effect of flaw distribution and diameter variation on the statistics of glass fiber strength. (7) 486; Negative pressure dependence of viscosity. (7) C152

Haas, J. See Predecki, Paul

Hagemann, Hans J.; and O'Bryan, Henry M., Jr.
Grain-boundary and surface segregation of Ba-Ti-O phases in rutile. (4) 274

Haggerty, John S. See Marra, Robert A.

Hagiwara, Hiroshi; and Green, David J.
Elastic behavior of open-cell alumina. (11) 811

Haider, M. Ishaq See Sawyer, Linda C.

Halliyal, Arvind G.; Kumar, Umesh; Newnham, Robert E.; and Cross, L. E.
Dielectric and ferroelectric properties of ceramics in the $Pb(Zn_{1/3}Nb_{2/3})O_3$-$BaTiO_3$-$PbTiO_3$ system. (2) 119

Hamano, Kenya See Ohya, Yutaka

Hammetter, William F.; and Loehman, Ronald E.
Crystallization kinetics of a complex lithium silicate glass-ceramic. (8) 577

Handa, Takashi See Ishii, Yoshiro

Handwerker, Carol A. See Kaysser, Wolfgang A.

Hannink, R. H. J. See Farmer, Serene C.

Hansen, Will
Constitutive model for predicting ultimate drying shrinkage of concrete. (5) 329; Drying shrinkage mechanisms in portland cement paste. (5) 323

Hardman-Rhyne, Kay See Page Richard A.

Harmer, Martin P. See Zhao, Junhong

Hashimoto, Hiroyuki See Yamaguchi, Osamu

Hasselman, D. P. H. See Johnson, Lloyd F.; Russell, Laura M.; Oguma, Masaomi

Hayashi, Takashi See Hirano, Shinichi

Hennings, Detlev F. K.; Janssen, Rolf; and Reynen, Piet J. L.
Control of liquid-phase-enhanced discontinuous grain growth in barium titanate. (1) 23

Heuer, Arthur H.
Transformation toughening in ZrO_2-containing ceramics. (10) 689; See also Dickerson, Robert M.; Farmer, Serene C.; Lee, Ran-Rong; Lee, W. E.

Hikichi, Yasuo See Suzuki, Suguru

Hikichi, Yasuo; and Nomura, Tsuyoshi
Melting temperatures of monazite and zenotime. (10) C252

Hikichi, Yasuo; and Suzuki, Suguru
Preparation of cubic perovskites $A(B_{2/3}'W_{1/3})0_3$ (A = Ba or Sr, B = Na or Li). (5) C99

Himsolt, Günther; Munz, Dietrich; and Fett, Theo
Modified chevron specimen for ceramic materials. (6) C133

Hirano, Shinichi; Hayashi, Takashi; and Kageyama, Tomoyuki
Synthesis of $LiAlO_2$ powder by hydrolysis of metal alkoxides. (3) 171

Hirao, Kazuyuki; and Tomozawa, Minoru
Dynamic fatigue of treated high-silica glass: explanation by crack tip blunting. (6) 377; Kinetics of crack tip blunting of glasses. (1) 43; Microhardness of SiO_2 glass in various environments. (7) 497

Hirayama, Tsukasa
High-temperature characteristics of transition Al_2O_3 powder with ultrafine spherical particles. (6) C122

Hirlinger, Margaret M. See Lange, Fred F.

Hirotsu, Y. See Nakajima, K.

Hitterman, R. L. See Predecki, Paul

Ho, William W.; and Morgan, Peter E. D.
Dielectric loss to detect liquid phase in ceramics at high temperatures. (9) C209

Hoagland, R. G. See Bowling, Gregory D.

Hockey, Bernard J. See Swanson, Peter L.

Hockman, Angela L. See Schreiber, Henry D.

Homeny, Joseph; Nelson, Gregory G.; Paulik, Steven W.; and Risbud, Subhash H.
Comparison of the properties of oxycarbide and oxynitride glasses. (5) C114

Hosono, Hideo; and Abe, Yoshihiro
Oxygen-effervescent aluminate glass. (3) C38

Hosono, Hideo; Yamazaki, Koji; and Abe, Yoshihiro
Photosensitive characteristics of dopant-free, ultraviolet-sensitive calcium aluminate glasses. (12) 867; Photosensitive mechanism of dopant-free, ultraviolet-sensitive calcium aluminate glasses. (12) 870

Hsueh, Chun-Hway See Cao, Heng C.; Marion, J. E.

Hu, K.-A.; Moffatt, Dawne; Runt, James; Safari, Ahmad; and Newnham, Robert
V_2O_5-polymer composite thermistors. (8) 583

Huang, Jow-Lay See Virkar, Anil V.

Huang, Wenhai See Ray, Chandra S.

Huffman, Maria See Konnert, John

Huntz, Anne Marie See Abderrazik, Ghazi Ben

Hurley, George F. See Carter, David H.

Hurst, Janet B.; and Dutta, Sunil
Simple processing method for high-strength silicon carbide. (11) C303

Hwu, S.-J.; Song, S.-N.; Ketterson, J. B.; Mason, T. O.; and Poeppelmeier, K. R.
Subsolidus compatibilities in the Y_2O_3-BaO-CuO system via diamagnetic susceptibility. (7) C165

Hyatt, M. J.; and Day, D. E.
Glass properties in the yttria-alumina-silica system. (10) C283

Hyde, Bruce G. See Thompson, John G.

Igaki, Hisashi See Ikeda, Kiyohiko

Ikeda, Kiyohiko; and Igaki, Hisashi
Effect of polyaxial stress states on fracture strength of soda-lime glass. (7) 470; Effect of surface flaw size on fracture strength of alumina ceramics. (2) C29; Fracture criterion for alumina ceramics subjected to triaxial stresses—reply. (8) C202

Ikegami, Takayasu; Kotani, Kazuo; and Eguchi, Katsuya
Some roles of MgO and TiO_2 in densification of a sinterable alumina. (12) 885

Imamura, Yoko See Kagawa, Masahiro

Ingel, R. P. See Alzyab, B.

Inoue, Hiroyuki; Aoki, Noriaki; and Yasui, Itaru
Molecular dynamics simulation of the structure of borate glasses. (9) 622

Ishida, Hisashi See Otsuka, Kanji

Ishii, Yoshiro; Arai, Kazuo; Namikawa, Hiroshi; Tanaka, Mitsuhiro; Negishi, Akira; and Handa, Takashi
Preparation of cerium-activated silica glasses: phosphorus and aluminum codoping effects on absorption and fluorescence properties. (2) 72

Ishitsuka, Masayuki; Sato, Tsugio; Endo, Tadashi; and Shimada, Masahiko
Sintering and mechanical properties of yttria-doped tetragonal ZrO_2 polycrystal/mullite composites. (11) C342; Synthesis and thermal stability of aluminum titanate solid solutions. (2) 69

Ishizawa, Nobuo See Shibata-Yanagisawa, Mezame

Ismail, M. G. M. U.; Nakai, Zenjiro; and Somiya, Shigeyuki
Microstructure and mechanical properties of mullite prepared by the sol-gel method. (1) C7

Isotani, Sadao See Pontuschka, Walter M.

Ito, Shigeru; Kubo, Nobuo; Nariki, Shinya; and Yoneda, Noboru
Ion exchange in alkali layers of potassium β-ferrite ($(1+x)K_2O{\cdot}11Fe_2O_3$) single crystals. (12) 874

Iyengar, G. N. K. See Asokan, T.

Jada, Sivananda S.
Study of tetraethyl orthosilicate hydrolysis by in situ generation of water. (11) C298

Jain, Vijay; and Varshneya, Arun K.
Finite-element analysis of network dilatation in ion-exchanged glass rods after slicing. (8) 595

Jakus, Karl See Glaesemann, G. Scott

Jamieson, Marjorie See Sawyer, Linda C.

Jang, Sei-Joo See Dube, D. C.

Janssen, Rolf See Hennings, Detlev F. K.

Jen, Cheng-Kuei; Chung, Chul-Jong; Shapiro, Galina; Monchalin, Jean-Pierre; Langlois, Pierre; and Bussiere, Jean F.
Acoustic characterization of poling effects in PZT ceramics. (10) C256

Jenkins, Michael G.; Kobayashi, Albert S.; White, Kenneth W.; and Bradt, Richard C.
Crack initiation and arrest in an SiC whisker/Al_2O_3 matrix composite. (6) 393

Jennings, Hamlin M. Correction (10) 792; See also Gartner, Ellis M.

Jimbou, Ryutaro See Takanashi, Ken

Johnson, Curtis A. See Borom, Marcus P.

Johnson, Lloyd F. See Russell, Laura M.

Johnson, Lloyd F.; Hasselman, D. P. H.; and Chyung, Kenneth
Effect of silicon carbide fiber or whisker reinforcement on the thermal diffusivity/conductivity of an osumilite glass-ceramic. (6) C135

Johnson, Paul A See Chen, I-Wei

Jyrkäs, Kauko See Leskela, Markku

Kaburagi, Makoto See Akbar, Sheikh A.

Kagawa, Masahiro; Omori, Mamoru; Syono, Yasuhiko; Imamura, Yoko; and Usui, Shinnosuke
Surface characterization of zirconia after reaction with water. (9) C212

Kageyama, Tomoyuki See Hirano, Shinichi

Kalonji, Gretchen See De Guire, Mark R.

Kang, Thae-Khapp See Kwon, Sung-Tae

Kastrissios, Theodora; Stephenson, Mark; Turner, Peter S.; and White, Timothy J.
Hydrothermal dissolution of perovskite: implications for synroc formulation. (7) C144

Kato, Akira; Yamashita, Hisao; Kawagoshi, Hiroshi; and Matsuda, Shimpei
Preparation of lanthanum β-alumina with high surface area by coprecipitation. (7) C157

Kato, Masaharu See Shibata-Yanagisawa, Mezame

Kato, Zenji See Uematsu, Keizo

Kawabata, Hidenao See Yamaguchi, Osamu

Kawagoshi, Hiroshi See Kato, Akira

Kawakubo, Takashi; and Komeya, K.
Static and cyclic fatigue behavior of a sintered silicon nitride at room temperature. (6) 400

Kawase, Masatoshi See Yamamoto, Takashi

Kayser, Wolfgang A.; Sprissler, Marianne; Handwerker, Carol A.; and Blendell, John E.
Effect of a liquid phase on the morphology of grain growth in alumina. (5) 339

Keating, Carol Y. See Chen, I-Wei

Keating, Steven J. See Chen, I-Wei

Keefer, Keith D.; and Michalske, Terry A.
Determination of phase transformation depth profiles with synchrotron radiation. (4) 227

Ketterson, J. B. See Hwu, S.-J.

Khaund, Arup K. See Wong, Jade Y.

Kikuchi, Ryoichi See Akbar, Sheikh A.

Kim, Byung-Ki See Kim, Jeong-Joo

Kim, Chong Hee See Park, Ji Yeon

Kim, Doh-Yeon See Kim, Jeong-Joo; Kwon, Sung-Tae; Yoo, Young-Sung

Kim, Jae Ryong See Park, Ji Yeon

Kim, Jeong-Joo See Yoo, Young-Sung

Kim, Jeong-Joo; Kim, Byung-Ki; Song, Byung-Moo; Kim, Doh-Yeon; and Yoon, Duk N.
Effect of sintering atmosphere on isolated pores during the liquid-phase sintering of MgO-CaMgSiO$_4$. (10) 734

Kim, M.-G.; Dahmen, U.; and Searcy, Alan W.
Structural transformations in the decomposition of $Mg(OH)_2$ and $MgCO_3$. (3) 146

King, Wayne E. See Park, Jong-Hee

Kirchner, Henry P. See Zdaniewski, Wieslaw A.

Kirchner, Henry P.; and Conway, Joseph C., Jr.
Comparison of the stress-intensity and Johnson-and-Holloway criteria for crack branching in rectangular bars. (8) 565; Criteria for crack branching in cylindrical rods: I, Tension. (6) 413; Criteria for crack branching in cylindrical rods: II, Flexure. (6) 419

Kirchner, Henry P.; Conway, Joseph C., Jr.; and Segall, A. E.
Effect of joint thickness and residual stresses on the properties of ceramic adhesive joints: I, Finite element analysis of stresses in joints. (2) 104

Kirkpatrick, R. James See Bunker, Bruce C.; Risbud, Subhash H.

Kitajima, Sadakichi See Ando, Ken

Klimovich, D. F. See Blachere, J. R.

Klug, Frederic J.; Prochazka, Svante; and Doremus, Robert H.
Alumina-silica phase diagram in the mullite region. (10) 750

Knight, Diane S.; Mecholsky, J. J.; and White, William B.
Structural changes in stressed As_2S_3 glass fibers determined by Raman spectroscopy. (8) 561

Ko, Ya T. See Chou, Ye T.

Kobayashi, Albert S. See Jenkins, Michael G.; Rogers, Wayne P.

Kobayashi, Masahiro See Takemura, Taketoshi

Kodaira, Kohei See Shimada, Shiro

Kohlstedt, David L. See Dimos, Duane; Sura, Vivek M.

Koizumi, Mitsue See Yamada, Osamu

Kokini, Klod
Interfacial cracks in ceramic-to-metal bonds under transient thermal loads. (12) 855

Kolar, Drago See Krasevec, Viktor

Komeya, K. See Kawakubo, Takashi

Konnert, John; D'Antonio, Peter; Huffman, Maria; and Navrotsky, Alexandra
Diffraction studies of a highly metastable form of amorphous silica. (3) 192

Kotani, Kazuo See Ikegami, Takayasu

Kramer, John M. See Gruber, Eugene E.

Krasevec, Viktor; Drofenik, Miha; and Kolar, Drago
Topotaxy between $BaTiO_3$ and $Ba_4Ti_{13}O_{30}$. (8) C193

Kreidler, Eric R. See Wong, Ming-Shih

Kubo, Nobuo See Ito, Shigeru

Kumar, Umesh See Halliyal, Arvind G.

Kuo, Shih-Yee; Virkar, Anil V.; and Rafaniello, William
Modulated structures in SiC-AlN ceramics. (6) C125

Kurkjian, Charles R. See Matthewson, M. John

Kwon, Sung-Tae; Kim, Doh-Yeon; Kang, Thae-Khapp; and Yoon, Duk N.
Effect of sintering temperature on the densification of Al_2O_3. (4) C69

Lachowski, Eric E. See Glasser, Fredrik P.

Lai, Miuri See Zhang, Xiao Wen

Lameille, J. M.; Goutiere, G.; Petit, Jean-Claude; and Regourd, Micheline
Retention of cobalt, cesium, and strontium in the hydrates of C_3S, C_3A, and gypsum. (8) 604

Lanagan, Michael T. See Dube, D. C.

Lange, F. F. See Marshall, David B.

Lange, F. F.; and Miller, K. T.
A colloidal method to ensure phase homogeneity in β''-Al_2O_3/ZrO_2 composite systems. (12) 896

Lange, Fred F.; and Hirlinger, Margaret M.
Grain growth in two-phase ceramics: Al_2O_3 inclusions in ZrO_2. (11) 827

Langlois, Pierre See Jen, Cheng-Kuei

Lankford, James See Page, Richard A.

Lapp, Josef C.; and Shelby, James E.
Acid durability of sodium and potassium galliosilicate glasses. (4) 271

Laurich-McIntyre, Suzanne See Wong, Jade Y.

Lawn, Brian R. See Gruninger, Mark F.; Mai, Yiu-Wing; Marshall, David B.; Swanson, Peter L.

Lee, Moon-Ho; Park, Young-Ho; and Yang, Cheul-Kee
Effects of pH and temperature on sol-gel processing within the PbO-TiO_2 system. (2) C35

Lee, Ran-Rong; and Heuer, Arthur H.
Morphology of tetragonal ZrO_2 in a ternary (Mg,Y)-PSZ. (4) 208

Lee, Sang-Baek See Gregory, Otto J.

Lee, W. E.; and Heuer, Arthur H.
Polymorphism of enstatite. (5) 349

Leskelä, Markku; and Jyrkäs, Kauko
Effect of flux materials on the reaction of Y_2O_3 and SiO_2. (7) C160

Li, Z.; and Bradt, Richard C.
Thermal expansion and thermal expansion anisotropy of SiC polytypes. (7) 445

Liang, Da-Tung; and Readey, Dennis W.
Dissolution kinetics of crystalline and amorphous silica in hydrofluoric-hydrochloric acid mixtures. (8) 570

Limaye, S. Y.; Agrawal, D. K.; and McKinstry, H. A.
Synthesis and thermal expansion of $MZr_4P_6O_{24}$ (M = Mg, Ca, Sr, Ba). (10) C232

Lin, Chang-Ming; and Stubican, Vladimir S.
Influence of ionic charge on diffusion in the surface layer of magnesia. (4) C73

Lin, Mark; Rahaman, Mohamed N.; and De Jonghe, Lutgard C.
Creep-sintering and microstructure development of heterogeneous MgO compacts. (5) 360

Liniger, E. G. See Frase, Katharine G.

Liniger, Eric; and Raj, Rishi
Packing and sintering of two-dimensional structures made from bimodal particle size distributions. (11) 843

Loehman, Ronald E. See Hammetter, William F.

Lu, Hong-Yang; and Chen, San-Yuan
Low-temperature aging of t-ZrO_2 polycrystals with 3 mol% Y_2O_3. (8) 537

Luh, Ellice Y.; and Evans, Anthony G.
High-temperature mechanical properties of a ceramic matrix composite. (7) 466

MacKenzie, Kenneth J. D.; and Brown, Ian W. M.
Characterization of spinel phase formed in the kaolin-mullite thermal sequence—comment. (9) C222

Macphee, Donald E. See Glasser, Fredrik P.

Maeda, Kunihiro See Takeda, Yukio

Magruder, Robert H., III See Morgan, Steven H.

Mai, Yiu-Wing See Swanson, Peter L.

Mai, Yiu-Wing; and Lawn, Brian R.
Crack-interface grain bridging as a fracture-resistance mechanism in ceramics: II, Theoretical fracture mechanics model. (4) 289

Maier, Veronika; and Müller, Gerd
Mechanism of oxide nucleation in lithium aluminosilicate glass-ceramics. (8) C176

Mallika, C. See Swaminathan, K.

Manghnani, Murli H. See Usha Devi, Subba Rao

Marion, J. E.; Hsueh, C. H.; and Evans, Anthony G.
Liquid-phase sintering of ceramics. (10) 708

Markovsky, Alex See Soules, Thomas F.

Marra, Robert A.; and Haggerty, John S.
Crystal structure of silicon powders produced from laser-heated silane. (1) C15

Marshall, David B.; Lange, F. F.; and Morgan, Peter D.
High-strength zirconia fibers. (8) C187

Marshall, David B.; Lawn, Brian R.; and Cook, Robert F.
Microstructural effects on grinding of alumina and glass-ceramics. (6) C139

Marshall, David B.; and Oliver, W. C.
Measurement of interfacial mechanical properties in fiber-reinforced ceramic composites. (8) 542

Mason, T. O. See Hwu, S.-J.

Mathew, James; and Doremus, Robert H.
Outgassing of ZrF_4-based glasses. (4) C86

Matsuda, Atsunori See Tohge, Noboru

Matsuda, Shimpei See Kato, Akira

Matsumoto, Roger L. K.
Evaluation of fracture toughness determination methods as applied to ceria-stabilized tetragonal zirconia polycrystal. (12) C366

Matsushita, Toru See Shimada, Shiro

Matsushita, Yasuo See Takeda, Yukio

Matthewson, M. John; and Kurkjian, Charles R.
Static fatigue of optical fibers in bending. (9) 662

Mazzoldi, Paolo See Polato, Pietro

McCauley, Ronald A. See De Jong, Renco

McKinstry, H. A. See Limaye, S. Y.

Mecartney, Martha L.
Enhanced crystallization of a glassy phase in silicon nitride by the addition of scandia. (12) C380; Influence of an amorphous second phase on the properties of yttria-stabilized tetragonal zirconia polycrystals (Y-TZP). (1) 54

Mecholsky, J. J. See Knight, Diane S.

Medrano, Ricardo E.; and Gillis, Peter P.
Weibull statistics: tensile and bending tests. (10) C230

Michalske, Terry A. See Keefer, Keith D.

Michalske, Terry A.; and Bunker, Bruce C.
Steric effects in stress corrosion fracture of glass. (10) 780

Mickeleit, Michael
Influence of powder preparation and compacting pressure on the structure of lithium silicate pellets. (12) C387

Miller, K. T. See Lange, F. F.

Millot, Francis See Abderrazik, Ghazi Ben

Minami, Tsutomu See Tohge, Noboru

Ming, Li-Chung See Usha Devi, Subba Rao

Miyamoto, Yoshinari See Yamada, Osamu

Miyata, Yutaka See Yamaguchi, Osamu

Mizutani, Nobuyasu See Shibata-Yanagisawa, Mezame

Mocellin, Alain See Freudenberg, Bernhard

Moffatt, Dawn See Hu, K.-A.

Mohanty, B. C. See Syamaprasad, U.

Momoda, Masataka See Ando, Ken

Monchalin, Jean-Pierre See Jen, Cheng-Kuei

Montez, B. See Risbud, Subhash H.

Morgan, Peter E. D. See Ho, William W.; Marshall, David B.

Morgan, Steven H.; Magruder, Robert H., III; and Silberman, Enrique
Raman spectra of rare-earth phosphate glasses. (12) C378

Morimi, Masami See Yamaguchi, Osamu

Moulin, Gerard See Abderrazik, Ghazi Ben

Mukerji, Joydeb See Bandyopadhyay, Siddhartha

Müller, Gerd See Maier, Veronika

Munz, Dietrich See Himsolt, Guenther

Murakawa, Kyohei See Endo, Kazuaki

Nagabhushana, G. R. See Asokan, T.

Nakagawa, Zenbee See Ohya, Yutaka

Nakai, Zenjiro See Ismail, M. G. M. U.

Nakajima, K.; Hirotsu, Y.; and Okamoto, S.
Anomalous X-ray line broadening observed in γ-Fe_2O_3 derived from γ-FeOOH. (5) 321

Nakamura, Kousuke See Takeda, Yukio

Namikawa, Hiroshi See Ishii, Yoshiro
Nariki, Shinya See Ito, Shigeru
Navrotsky, Alexandra See Konnert, John
Negishi, Akira See Ishii, Yoshiro
Nelson, Gregory G. See Homeny, Joseph
Newnham, Robert E. See Halliyal, Arvind G.; Hu, K. A.
Nicholson, Patrick S. See Troczynski, Thomas B.
Nishino, Tadashi
Formation process of metastable phase (*d*) of alkaline-earth carbonate. (7) C162
Niyogi, S. K. See Phani, K. K.
Nomura, Satoshi See Shimada, Shiro
Nomura, Tsuyoshi See Hikichi, Yasuo
Norton, James Frank See Van der Biest, Omer O.
O'Bryan, Henry M., Jr. See Hagemann, Hans J.
Odler, Ivan; and Abdul-Maula, Samir
Hydration reactions in the system CaO-SiO_2-CaF_2. (1) 39
Oguma, Masaomi; Chyung, Kenneth; Donaldson, Kimberly Y.; and Hasselman, D. P. H.
Effect of crystallization on thermal shock behavior of a chain-silicate canasite glass-ceramic. (1) C2
O'Handley, Robert C. See De Guire, Mark R.
Ohishi, Yasutake; Sakaguchi, Shigeki; and Takahashi, Shiro
Photoluminescence and absorption of a zirconium fluoride glass and ZrF_4. (4) C81
Ohsawa, Toshikazu See Akaishi, Minoru
Ohya, Yutaka; Nakagawa, Zenbee; and Hamano, Kenya
Grain-boundary microcracking due to thermal expansion anisotropy in aluminum titanate ceramics. (8) C184
Oishi, Yasumichi; Ando, Ken; and Yasumura, Kenji
Oxygen self-diffusion in lithium-doped single-crystal magnesium oxide. (11) C327
Okada, Kiyoshi
Characterization of spinel phase formed in the kaolin-mullite thermal sequence—reply. (9) C223
Okada, Kiyoshi; and Otsuka, Nozomu
Change in chemical composition of mullite formed from $2SiO_2 \cdot 3Al_2O_3$ xerogel during the formation process. (10) C245
Okamoto, S. See Nakajima, K.
Oliver, W. C. See Marshall, David B.
Omori, Mamoru See Kagawa, Masahiro
Ono, Masayuki See Osaka, Akiyoshi
Osaka, Akiyoshi; Ono, Masayuki; and Takahashi, Katsuaki
Aluminum oxide anomaly and structure model of alkali aluminosilicate glasses. (4) 242
Ostertag, Claudia P.
Technique for measuring stresses which occur during sintering of a fiber-reinforced ceramic composite. (12) C355
Ota, Toshitaka See Yamai, Iwao
Otsuka, Kanji; Ishida, Hisashi; and Tsuboi, Toshihiko
Al-Al_2O_3 bond interface. (7) C154
Otsuka, Nozomu See Okada, Kiyoshi
Owen, Derrek G. See Taylor, Peter
Page, Richard A.; Lankford, James; Chan, K. S.; Hardman-Rhyne, Kay; and Spooner, S.
Creep cavitation in liquid-phase-sintered alumina. (3) 137
Pantano, Carlo G. See Brow, Richard K.
Park, Ji Yeon; Kim, Jae Ryong; and Kim, Chong Hee
Effects of free silicon on the α to β phase transformation in silicon nitride. (10) C240
Park, Jong-Hee; King, Wayne E.; and Rothman, Steven J.
Cation tracer diffusion in Cr_2O_3 and Cr_2O_3-0.09 wt% Y_2O_3. (12) 880
Park, Young-Ho See Lee, Moon-Ho
Pask, J. A.; Zhang, X. W.; Tomsia, A. P.; and Yoldas, B. E.
Effect of sol-gel mixing on mullite microstructure and phase equilibria in the α-Al_2O_3-SiO_2 system. (10) 704
Pask, Joseph A. See Flaitz, Philip L.
Paulik, Steven W. See Homeny, Joseph
Payne, David A. See Dey, Sandwip K.
Peng, Yongren B.; and Day, Delbert E.
Factors affecting nitrogen dissolution in sodium metaphosphate glass. (4) 232
Perry, C. H. See Alzyab, B.
Petit, Jean-Claude See Lameille, J. M.
Phani, K. K.
New modified Weibull distribution function. (8) C182
Phani, K. K.; and Niyogi, S. K.
Elastic modulus-porosity relation in polycrystalline rare-earth oxides. (12) C362
Phule, Pradeep P.; Raghavan, Srini; and Risbud, Subhash H.
Comparison of $Ba(OH)_2$, BaO, and Ba as starting materials for the synthesis of barium titanate by the alkoxide method. (5) C108;—Correction (9) C224.
Piccini, Angelo See Pontuschka, Walter M.
Piermarini, G. J. See Da Jornada, J. A. H.
Pierre, Alain C.; and Uhlmann, Donald R.
Gelation of aluminum hydroxide sols. (1) 28
Pietka, Bruce J. See Brumels, Mark D.
Pline, David See Ethridge, Edwin C.
Poeppelmeier, K. R. See Hwu, S.-J.
Polato, Pietro; Mazzoldi, Paolo; and Boscoletto, Angelo Boscolo
Characterization by nuclear and spectrophotometric analysis of near-surface modifications of glass implanted with heavy ions. (10) 775
Pollard, Richard See Rebenne, Helen
Pongratz, Peter See Eibl, Oliver
Pontuschka, Walter M.; Isotani, Sadao; and Piccini, Angelo
Optical and thermal bleaching of X-irradiated barium aluminoborate glasses. (1) 59
Porter, John R. See Chokshi, Atul H.
Porter, Richard L.
Plasma-induced morphological changes in α-silicon carbide. (2) C26
Prasanna, T. R. S. See De Guire, Mark R.
Predecki, Paul; Haas, J.; Faber, John, Jr.; and Hitterman, R. L.
Structural aspects of the lattice thermal expansion of hexagonal cordierite. (3) 175
Prochazka, Svante See Klug, Frederic J.
Qian, Z.; Tolt, T. L.; and Cooper, Alfred R.
Crystal growth kinetics of $4K_2O \cdot CaO \cdot 10SiO_2$ from its own melt and two other melts in the K_2O-CaO-SiO_2 system. (1) 48
Rafaniello, William See Kuo, Shih-Yee
Raghavan, Srini See Phule, Pradeep P.

Rahaman, Mohamed N. See Lin, Mark
Rahaman, Mohamed N.; and De Jonghe, Lutgard C.
Effect of rigid inclusions on the sintering of glass powder compacts. (12) C348
Rahaman, Mohamed N.; De Jonghe, Lutgard C.; Scherer, George W.; and Brook, Richard J.
Creep and densification during sintering of glass powder compacts. (10) 766
Raj, Rishi
Analysis of the sintering pressure. (9) C210; See also Liniger, Eric; Venkatachari, K. R.; See also Baik, Sunggi
Rajaram, Mohan See Bunker, Bruce C.
Rajaram, Mohan; and Day, Delbert E.
Nitrogen dissolution in sodium alkaline-earth metaphosphate melts. (4) 203
Ray, Chandra S.; Huang, Wenhai; and Day, Delbert E.
Crystallization kinetics of lithia silica glasses: effect of composition and nucleating agent. (8) 599
Readey, Dennis W. See Bright, Eric; Liang, Da-Tung; Readey, Michael J.
Readey, Michael J.; and Readey, Dennis W.
Sintering TiO_2 in HCl atmospheres. (12) C358
Rebenne, Helen; and Pollard, Richard
Theoretical analysis of chemical vapor deposition of ceramics in an impinging jet reactor. (12) 907
Regourd, Micheline See Lameille, J. M.
Reidmeyer, Mary R. See Bunker, Bruce C.
Rekhson, Simon M. See Soules, Thomas F.
Reynen, Piet J. L. See Hennings, Detlev F. K.
Rice, Gary W.
Laser-driven pyrolysis: synthesis of TiO_2 from titanium isopropoxide. (5) C117
Rice, Roy W. See Bender, Barry A.
Ricoult, Daniel L.; and Schmalzried, Hermann
Electrical conductivity of iron-doped NiO single crystal at equilibrium and during internal oxidation. (9) 669
Risbud, Subhash H. See Homeny, Joseph; Phule, Pradeep P.
Risbud, Subhash H.; Kirkpatrick, R. James; Taglialavore, Antoni P.; and Montez, B.
Solid-state NMR evidence of 4-, 5-, and 6-fold aluminum sites in roller-quenched SiO_2-Al_2O_3 glasses. (1) C10
Ritchie, R. O. See Dauskardt, R. H.; Tae, Sung Oh
Ritter, John E., Jr. See Glaesemann, G. Scott
Rödel, Juergen; and Glaeser, Andreas M.
Production of controlled-morphology pore arrays: implications and opportunities (8) C172
Rogers, Wayne P.; Emery, Ashley F.; Bradt, Richard C.; and Kobayashi, Albert S.
Statistical study of thermal fracture of ceramic materials in the water quench test. (6) 406
Rosenthal, Allan B.; and Garofalini, Stephen H.
Structural role of zinc oxide in silica and soda-silica glasses. (70) 821
Rothman, Steven J. See Park, Jong-Hee
Roy, Bimalendu Narayan
Spectroscopic analysis of the structure of silicate glasses along the joint $xMAlO_2$-$(1-x)SiO_2$ (M = Li, Na, K, Rb, Cs). (3) 183
Ruh, Robert See Russell, Laura M.
Ruhle, Manfred See Bonnell, Dawn A.
Runt, James See Hu, K.-a.
Russell, Laura M.; Johnson, Lloyd F.; Hasselman, D. P. H.; and Ruh, Robert
Thermal conductivity/diffusivity of silicon carbide whisker-reinforced mullite. (10) C226
Saeki, Goji See Watanabe, Akira
Saito, Katukazu See Uematsu, Keizo
Sakaguchi, Shigeki See Ohishi, Yasutake
Sakamura, Hiroyasu See Suzuki, Suguru
Sales, Brian C.; and Boatner, Lynn A.
Optical, structural, and chemical characteristics of lead indium phosphate and lead scandium phosphate glasses. (9) 615
Sane, Ajit Y.; and Cooper, Alfred R.
Stress buildup and relaxation during ion exchange strengthening of glass. (2) 86
Sarikaya, Mehmet See Sonuparlak, Birol
Sato, Heihachi See Yamamoto, Takashi
Sato, Hiroshi See Akbar, Sheikh A.
Sato, Ken See Takemura, Taketoshi
Sato, Tsugio See Ishitsuka, Masayuki
Sawyer, Linda C.; Jamieson, Marjorie; Brikowski, Duane; Haider, M. Ishaq; and Chen, Rong T.
Strength, structure, and fracture properties of ceramic fiber produced from polymeric precursors: I, Base-line studies. (11) 798
Scherer, George W.
Sintering with rigid inclusions. (10) 719; See also Rahaman, Mohamed N.
Schmalzried, Hermann See Ricoult, Daniel L.
Schmelz, Helmut See Eibl, Oliver
Schmid, H. K.
Quantitative analysis of polymorphic mixes of zirconia by X-ray diffraction. (5) 367
Schneider, Hartmut
Temperature-dependent iron solubility in mullite. (3) C43
Schreiber, Henry D.; and Hockman, Angela L.
Redox chemistry in candidate glasses for nuclear waste immobilization. (8) 591
Schulze, Walter A. See Ahn, Zou-Sam; Gallo, Christopher A.
Scott, Wiliam D. See Choi, Doo Jin
Searcy, Alan W.
Theory for sintering in temperature gradients: role of long-range mass transport. (3) C61; See also Beruto, Dario; Kim, M.-G.
Seeker, U.; and Exner, H. E.
Exaggerated grain growth in cemented carbides due to inhomogeneous milling. (2) C31
Segall, A. E. See Kirchner, Henry P.
Seshadri, S. G.; and Chia, Kai-Yin
Tensile testing of ceramics. (10) C242
Seto, Hiroshi See Shibata-Yanagisawa, Mezame
Shafer, Merrill W. See Castano, Victor M.
Shapiro, Galina See Jen, Cheng-Kuei
Shelby, James E.
Quantitative determination of the deuteroxyl content of vitreous silica. (1) C9; See also Lapp, Josef C.
Shetty, Dinesh K. See Cutler, Raymond A.
Shibata-Yanagisawa, Mezame; Kato, Masaharu; Seto, Hiroshi; Ishizawa, Nobuo; Mizutani, Nobuyasu; and Kato, Masanori
Crystallographic analysis of the cubic-to-tetragonal phase transformation in the ZrO_2-Y_2O_3 system. (7) 503
Shimada, Masahiko See Ishitsuka, Masayuki
Shimada, Shiro; Nomura, Satoshi; Kodaira, Kohei; and Matsushita, Toru
Crystal growth of cadmium oxide from the vapor phase. (10) C254
Shimbo, Masaru
Thermal stability and acid resistivity of glasses based on ZnO-Al_2O_3-SiO_2. (5) C101
Shimizu, Kiyoshi See Yamaguchi, Osamu
Shobu, Kazuhisa; Watanabe, Tadahiko; Enomoto, Yuji; Umeda, Kazunori; and Tsuya, Yuko
Frictional properties of sintered TiN-TiB_2 and Ti(CN)-TiB_2 ceramics at high temperature. (5) C103
Silberman, Enrique See Morgan, Steven H.
Sim, Soo-Man; and Stubican, Vladimir S.
Phase relations and ordering in the system ZrO_2-MgO. (7) 521
Simmons, Catherine J.
Chemical durability of fluoride glasses: II, Reaction of barium-thorium-based glasses with water. (4) 295; Chemical durability of fluoride glasses: III, The effect of solution pH. (9) 654; See also El-Bayoumi, Osama H.
Simmons, Joseph H. See El-Bayoumi, Osama H.
Simpson, Y. Kouh; Colgan, E. G.; and Carter, C. B.
Kinetics of the growth of spinel on alumina using Rutherford backscattering spectroscopy. (7) C149
Singh, Raj N.
Asymmetric polarization behavior of sodium β''-alumina electrolyte. (4) 221
Skalicky, Peter See Eibl, Oliver
Smoak, Richard H. See Whittenberger, J. Daniel
Smyth, Donald M. See Young, Ho-Han; Zhang, Xiao Wen
Somiya, Shigeyuki See Ismail, M. G. M. U.
Song, Byung-Moo See Kim, Jeong-Joo
Song, S.-N. See Hwu, S.-J.
Sonuparlak, Birol; Sarikaya, Mehmet; and Aksay, Ilhan A.
Spinel phase formation during the 980 °C exothermic reaction in the kaolinite-to-mullite reaction series. (11) 837
Soules, Thomas F.; Busbey, Robert F.; Rekhson, Simon M.; Markovsky, Alex; and Burke, Michael A.
Finite-element calculation of stresses in glass parts undergoing viscous relaxation. (2) 90
Spann, Joseph R. See Bender, Barry A.
Sparlin, Don M. See Yu, Chikung J.
Spooner, S. See Page, Richard A.
Sprissler, Marianne See Kaysser, Wolfgang A.
Sreedharan, O. M. See Swaminathan, K.
Stankovic, Slavica See Vasovic, Dusanka
Stephenson, Mark See Kastrissios, Theodora
Stevic, Smiljka; Aleksic, Radoslav; and Backovic, Nevenka
Influence of fluorine on thermal properties of fluorophosphate glasses. (10) C264
Stock, Stuart R.; Ahn, Sang-Ho; and Cohen, Jerome B.
Diffraction from a natural grain boundary in a magnetite bicrystal. (3) 125
Stojakovic, Djordje See Vasovic, Dusanka
Stubican, Vladimir S. See Lin, Chang-Ming; Sim, Soo-Man
Suh, Nungil See Varshneya, Arun K.

Sura, Vivek M.; and Kohlstedt, David L.
State-variable analysis of inelastic deformation of TiC single crystals. (5) 315
Suresh, Subra See Tschegg, Elmar K.
Suresh, Subra; and Tschegg, Elmar K.
Combined mode I-mode III fracture of fatigue-precracked alumina. (10) 726
Suscavage, Michael J. See El-Bayoumi, Osama H.
Suzuki, Suguru See Hikichi, Yasuo
Suzuki, Suguru; Takahashi, Minoru; Hikichi, Yasuo; and Sakamura, Hiroyasu
Free volume of network-forming oxide glasses in the systems P_2O_5-(GeO_2,TeO_2,Sb_2O_3,V_2O_5). (9) C213; Internal friction of network-forming oxide glasses in the systems P_2O_5-(GeO_2, TeO_2, Sb_2O_3, V_2O_5). (4) 254
Swain, Michael V. See Dickerson, Robert M.
Swaminathan, K.; Mallika, C.; and Sreedharan, O. M.
Oxygen potential in the system $UMoO_4$/$UMoO_5$ by the solid oxide electrolyte emf method. (7) C168
Swanson, Peter L.; Fairbanks, Carolyn J.; Lawn, Brian R.; Mai, Yiu-Wing; and Hockey, Bernard J.
Crack-interface grain bridging as a fracture-resistance mechanism in ceramics: I, Experimental study on alumina. (4) 279
Swiler, Daniel R.; Varshneya, Arun K.; and Carville, Patricia
Strength of lead silicate glass after H_2 reduction. (4) C75
Syamaprasad, U.; Galgali, R. K.; and Mohanty, B. C.
Modified barium titanate for capacitors. (7) C147
Syono, Yasuhiko See Kagawa, Masahiro
Tae, Sung Oh; Cannon, R. M.; and Ritchie, R. O.
Subcritical crack growth along ceramic-metal interfaces. (12) C352
Taglialavore, Antoni P. See Risbud, Subhash H.
Takada, Yoshio See Takemura, Taketoshi
Takahashi, Katsuaki See Osaka, Akiyoshi
Takahashi, Ken; and Jimbou, Ryutaro
Effect of uniformity on the electrical resistivity of SiC-ZrB_2 ceramic composites. (12) C369
Takahashi, Minoru See Suzuki, Suguru
Takahashi, Shiro See Ohishi, Yasutake
Takamori, Takeshi See Castano, Victor M.
Takeda, Yukio; Nakamura, Kousuke; Maeda, Kunihiro; and Matsushita, Yasuo
Effects of elemental additives on electrical resistivity of silicon carbide ceramics. (10) C266
Takemura, Taketoshi; Kobayashi, Masahiro; Takada, Yoshio; and Sato, Ken
Effects of antimony oxide on the characteristics of ZnO varistors. (4) 237
Takeuchi, Yoshimitsu See Watanabe, Akira
Tallant, David R. See Bunker, Bruce C.
Tambuyser, Paul See De Jong, Renco
Tanaka, Junzo See Akaishi, Minoru
Tanaka, Junzo; Baumard, Jean-Francois; and Abelard, Pierre
Nonlinear electrical properties of grain boundaries in an oxygen-ion conductor (CeO_2-Y_2O_3). (9) 637
Tanaka, Mitsuhiro See Ishii, Yoshiro
Taylor, Peter; Ashmore, Sheila D.; and Owen, Derrek G.
Chemical durability of some sodium borosilicate glasses improved by phase separation. (5) 333
Thery, Jeanine See Aka, Gerard
Thompson, John G.; Withers, Ray L.; and Hyde, Bruce G.
Further consideration of phases in the system Ba_2SiO_4–Ca_2SiO_4. (12) C383
Tiegs, Terry N. See Becher, Paul F.
Tiegs, T. N.; and Becher, P. F.
Thermal shock behavior of an alumina-SiC whisker composite. (5) C109
Tien, Tseng-Ying See Bonnell, Dawn A.; Chen, I-Wei
Tohge, Noboru; Matsuda, Atsunori; and Minami, Tsutomu
Coating films of $2B_2O_3$·$80SiO_2$ by the sol-gel method. (1) C13
Tolt, T. L. See Qian, Z.
Tomihisa, Daijo See Yamaguchi, Osamu
Tomozawa, Minoru See Hirao, Kazuyuki
Tomsia, A. P. See Pask, J. A.
Toyoda, Hiroshi See Fujitsu, Satoru
Troczynski, Thomas B.; and Nicholson, Patrick S.
Effect of subcritical crack growth on fracture toughness and work-of-fracture tests using chevron-notched specimens. (2) 78; Introducing compressive surface stresses into brittle materials. (5) C112
Tschegg, Elmar K. See Suresh, Subra
Tschegg, Elmar K.; and Suresh, Subra
Tensile fracture toughness measurements in [Al_2O_3] ceramics. (3) C41
Tsuboi, Toshihiko See Otsuka, Kanji
Tsuya, Yuko See Shobu, Kazuhisa
Tuller, Harry L. See Yoo, Han-Ill
Turner, Gary L. See Bunker, Bruce C.
Turner, Peter S. See Kastrissios, Theodora
Uchida, Nozomu See Uematsu, Keizo
Uegaki, Tatsuji See Yamaguchi, Osamu
Uematsu, Keizo; Kato, Zenji; Uchida, Nozomu; and Saito, Katukazu
Electrical conductivity of antimony-doped tin dioxide prepared by hot isostatic pressing. (7) C142
Uhlmann, Donald R. See Pierre, Alain C.
Umeda, Kazunori See Shobu, Kazuhisa
Usha Devi, Subba Rao; Ming, Li-Chung; and Manghnani, Murli H.
Structural transformation in cubic zirconia. (9) C218
Usui, Shinnosuke See Kagawa, Masahiro
Van der Biest, Omer O.; Barnes, John; Corish, John; and Norton, James Frank
Corrosion of a silica-bearing ceramic in sulfur-oxygen atmospheres. (7) 456
Van Ulfert, Legrand G.; Grodkiewicz, William H.; and Bruce, Allen J.
New arsenate glasses. (3) 133
Varshneya, Arun K. See Jain, Vijay; Swiler, Daniel R.
Varshneya, Arun K.; and Suh, Nungil
Sol-gel-derived soda–lime–high-silica glass. (1) C21
Vasovic, Dusanka; Stojakovic, Djordje; and Stankovic, Slavica
Preparation of crystalline aluminum phosphate by the reaction using boron phosphate. (1) C23
Venkatachari, K. R.; and Raj, Rishi
Enhancement of strength through sinter forging. (7) 514
Virkar, Anil V. See Cutler, Raymond A.; Kuo, Shih-Yee
Virkar, Anil V.; Huang, Jow-Lay; and Cutler, Raymond A.
Strengthening of oxide ceramics by transformation-induced stresses. (3) 164
Vivien, Daniel See Aka, Gerard
Wachtman, John B., Jr. See Gruninger, Mark F.
Watanabe, Akira; Takeuchi, Yoshimitsu; and Saeki, Goji
Crystal growth of rod-shaped β-$LiAlO_2$. (10) 268
Watanabe, Tadahiko See Shobu, Kazuhisa
Weber, William J.; Griffin, Curtis W.; and Bates, J. Lambert
Effects of cation substitution on electrical and thermal transport properties of $YCrO_3$ and $LaCrO_3$. (4) 265
Weinberg, Michael C.
Combined homogeneous and heterogeneous crystal nucleation in glasses. (7) 475
White, Calvin L. See Baik, Sunggi
White, Grady S.; Freiman, Stephen W.; Wiederhorn, Sheldon M.; and Coyle, Thomas D.
Effects of counterions on crack growth in vitreous silica. (12) 891
White, Kenneth W. See Jenkins, Michael G.
White, Timothy J. See Kastrissios, Theodora
White, William B. See Knight, Diane S.
Whittenberger, J. Daniel; and Smoak, Richard H.
Structure and tensile strength of $LaS_{1.4}$. (4) C90
Wiederhorn, Sheldon M. See White, Grady S.
Windisch, Charles F., Jr.; Bates, J. Lambert; and Boget, Delmar I.
In situ laser Raman determination of electrochemical reactions of Y_2O_3-stabilized ZrO_2 and molten Na_2SO_4. (9) C220
Withers, Ray L. See Thompson, John G.
Wong, Jade Y.; Laurich-McIntyre, Suzanne; Khaund, Arup K.; and Bradt, R. C.
Strengths of green and fired spherical aluminosilicate aggregates. (10) 785
Wong, Ming-Shih; and Kreidler, Eric R.
Phase equilibria in the system Nd_2O_3-P_2O_5. (6) 396
Wronski, Andrew S.
Fracture criterion for alumina ceramics subjected to triaxial stresses—comment. (8) C201
Wu, Tai-Bor See Chen, Jyh-Shim
Wu, Xin See Chen, I-Wei
Yamada, Osamu; Miyamoto, Yoshinari; and Koizumi, Mitsue
High-pressure self-combustion sintering of titanium carbide. (9) C206
Yamaguchi, Osamu; Kawabata, Hidenao; Hashimoto, Hiroyuki; and Shimizu, Kiyoshi
New modification of $LaYO_3$. (6) C131
Yamaguchi, Osamu; Morimi, Masami; Kawabata, Hidenao; Shimizu, Kiyoshi; and Shimizu, Kiyoshi
Formation and transformation of $ZnTiO_3$. (5) C97
Yamaguchi, Osamu; Tomihisa, Daijo; Kawabata, Hidenao; Shimizu, Kiyoshi; and Shimizu, Kiyoshi
Formation and transformation of WO_3 prepared from alkoxide. (5) C94
Yamaguchi, Osamu; Tomihisa, Daijo; Uegaki, Tatsuji; and Shimizu, Kiyoshi
Formation and transformation of d-Ta_2O_5 solid solution in the system Ta_2O_5-Al_2O_3. (11) C335
Yamaguchi, Osamu; Uegaki, Tatsuji; Miyata, Yutaka; and Shimizu, Kiyoshi
Formation of $AlVO_4$ solid solution from alkoxides. (8) C198
Yamai, Iwao; and Ota, Toshitaka
Low-thermal-expansion polycrystalline zirconyl phosphate ceramic: solid-solution and microcracking-related properties. (8) 585
Yamamoto, Takashi; Kawase, Masatoshi; and Sato, Heihachi
Direct measurement of piezoelectric strain using a diffraction grating. (8) 557
Yamaoka, Shinobu See Akaishi, Minoru
Yamashita, Hisao See Kato, Akira
Yamazaki, Koji See Hosono, Hideo
Yan, Man F. See Chou, Ye T.
Yanagida, Hiroaki See Fujitsu, Satoru
Yang, Cheul-Kee See Lee, Moon-Ho
Yasui, Itaru See Inoue, Hiroyuki
Yasumura, Kenji See Oishi, Yasumichi
Yoda, Mitsuo; and Yoshikawa, Yoshio
Growth and coalescence of indentation cracks in glass. (11) C301
Yoldas, B. E. See Pask, J. A.
Yoneda, Noboru See Ito, Shigeru
Yoo, Han-Ill; and Tuller, Harry L.
Iron-excess manganese ferrite: electrical conductivity and cation distributions. (6) 388
Yoo, Young-Sung; Kim, Jeong-Joo; and Kim, Doh-Yeon
Effect of heating rate on the microstructural evolution during sintering of $BaTiO_3$ ceramics. (11) C322
Yoon, Duk N. See Kim, Jeong-Joo; Kwon, Sung-Tae
Yoshikawa, Yoshio See Yoda, Mitsuo
Young, Ho-Han See Zhang, Xiao Wen
Young, Ho-Han; Appleby, John B.; and Smyth, Donald M.
Calcium as an acceptor impurity in $BaTiO_3$. (2) 96
Young, Ron-Jong See Chen, Jyh-Shim
Yu, Chikung J.; Sparlin, Don M.; and Anderson, Harlan U.
Oxidation kinetics of polycrystalline $LaCrO_3$. (8) C189
Yu, W. See Dauskardt, R. H.
Zdaniewski, Wieslaw A.
Solid solubility effect on properties of titanium diboride. (11) 793
Zdaniewski, Wieslaw A.; Conway, Joseph C., Jr.; and Kirchner, Henry P.
Effect of joint thickness and residual stresses on the properties of ceramic adhesive joints: II, Experimental results. (2) 110
Zdaniewski, Wieslaw A.; and Kirchner, Henry P.
Effect of grain-boundary oxidation on fracture toughness of SiC. (8) 548; Joining of alumina ceramic by inducing localized reducing conditions. (1) C4
Zhang, X. W. See Pask, J. A.
Zhang, Xiao Wen; Young, Ho-Han; Lal, Misri; and Smyth, Donald M.
Defect chemistry of $BaTiO_3$ with additions of $CaTiO_3$. (2) 100
Zhao, Junhong; and Harmer, Martin P.
Sintering of ultra-high-purity alumina doped simultaneously with MgO and FeO. (12) 860

SUBJECT INDEX TO THE JOURNAL AND COMMUNICATIONS

Numbers in parentheses refer to *monthly* issue of the *Journal* and *Communications*; numbers following are *page* numbers

Acids,
HF-HCl mixtures, dissolution of SiO_2 in (8) 570
resistance, of Na and K galliosilicate glasses (4) 271
Additives,
$CaTiO_3$, $BaTiO_3$ with, defect chemistry (2) 100
MgO and TiO_2, role in densification of sinterable Al_2O_3 (12) 885
Sc_2O_3, crystallization of glassy phase in Si_3N_4 enhanced by (12) C380
elemental, effects on electrical resistivity of SiC (10) C266
Aggregates,
of aggregates, green and fired aluminosilicate (10) 785
Aging,
low-temperature, of *t*-ZrO_2 polycrystals with 3 mol% Y_2O_3 (8) 537
Aluminates,
glass, O-effervescent (3) C38
mixed Na Ce(III) hexa-, synthesis and characterization (8) C179
Aluminum,
-Al_2O_3 interface (7) C154
Al_2TiO_5, formation by solid-state reaction in Al_2O_3 and TiO_2 powders (1) 33
$Al(OH)_3$, sols, gelation of (1) 28
$AlVO_4$, solid solution, formation from alkoxides (8) C198
sites, 4-, 5-, and 6-fold in SiO_2-Al_2O_3 glasses, NMR study (1) C10
Aluminum oxide,
La β-, with high surface area, coprecipitation of (7) C157
Na β''-, electrolyte, asymmetric polarization behavior of (4) 221
Na β- and β''-, hydration of (11) 816
-SiC, whisker composite, thermal shock behavior (5) C109
anomaly, of alkali aluminosilicate glasses (4) 242
creep deformation, cavity development during (3) 197
crystallization, in presence of SiO_2 (3) C46
densification, effect of sintering temperature (4) C69
fatigue-precracked, mode I-mode III fracture of (10) 726
grain growth, effect of liquid phase on morphology (5) 339
grinding, microstructural effects on (6) C139
inclusions, in ZrO_2 (11) 827
joining, by inducing localized reducing (1) C4
liquid-phase-sintered, creep cavitation in (3) 137
open-cell, elastic behavior (11) 811
polycrystalline, penetration by glass at high temperatures (7) 449
powders, transition, high-temperature characteristics (6) C122
scales, transport properties, test for—comment (12) C374
sinterable, role of MgO and TiO_2 in densification (12) 885
solubility of NiO in (11) C309
spinel growth on, kinetics (7) C149
strength, fracture, effect of surface flaw size (2) C29
surface, anisotropic Ca segregation to (9) 682
toughness, tensile fracture, measurements (3) C41
transformation-toughened, strength improvement in (10) 714
under triaxial stress, fracture criterion for—comment (8) C201
fracture criterion for—reply (8) C202
ultra-high-purity, doped with MgO and FeO, sintering (12) 860
Analysis,
NMR, of 4-, 5-, and 6-fold Al sites in roller-quenched SiO_2-Al_2O_3 glasses (1) C10
TEM, of ceramics formed by pyrolysis of organometallic precursors (3) C58
of α-cristobalite in fused SiO_2 (4) C77
XRD, of polymorphic mixes of ZrO_2 (5) 367
acoustic, of poling effects in PZT (10) C256
crystallographic, of cubic-to-tetragonal phase transformation in system ZrO_2-Y_2O_3 (7) 503
diffraction, of metastable amorphous SiO_2 (3) 192
finite element, of network dilatation in ion-exchanged glass rods after slicing (8) 595
laser Raman, in situ, of reactions of Y_2O_3-stabilized ZrO_2 with molten Na_2SO_4 (9) C220
of mixed Na Ce(III) hexa-aluminate (8) C179
quantitative, of deuteroxyl in vitreous SiO_2 (1) C9
of sintering pressure (9) C210
spectroscopic, of structure of silicate glasses along joint $xMAlO_2$-$(1-x)SiO_2$ (M = Li, Na, K, Rb, Cs) (3) 183
surface, of ZrO_2 after reaction with water (9) C212
Analyzers,
micro-, electron probe, oxide thickness measurements in (11) C324
Anisotropy,
Knoop microhardness, of $MgAl_2O_4$ spinel (4) C84
thermal expansion, in Al titanate, grain-boundary microcracking due to (8) C184
Antimony,
Sb_2O_3, effect on ZnO varistor characteristics (4) 237
effect on anatase-rutile transformation in TiO_2 (4) C64
Arsenic,
arsenate glasses, new (3) 133
Atmosphere,
HCl, sintering TiO_2 in (12) C358
$S-O_2$, corrosion of SiO_2-bearing ceramics in (7) 456
Barium titanate,
(111) twins, formation of (8) C195
Ca, as acceptor impurity in (2) 96
with additions of $CaTiO_3$, defect chemistry (2) 100
donor-doped, O and grain growth (5) 311
grain growth in, liquid-phase-enhanced discontinuous, control of (1) 23
modified, for capacitors (7) C147
sintering, effect of heating rate on microstructure (11) C322
topotaxy with $Ba_4Ti_{13}O_{30}$ (8) C193
Bonding,
of Si_3N_4, liquid-phase, using Mg-Si-O-N glasses (5) C105
Bonds,
ceramic-to-metal, under thermal loads, interfacial cracks in (12) 855
Borides,
TiB_2, effect of O contamination on densification (8) 527
solid solubility effect on properties (11) 793
Brittle materials,
surface stresses, compressive, introducing (5) C112
Cadmium,
CdO, crystal growth from vapor phase (10) C254
Calcium,
as acceptor impurity, in $BaTiO_3$ (2) 96
segregation, to surface of Al_2O_3 (9) 682
Capacitors,
$BaTiO_3$, modified (7) C147
tape casting, fluid flow model for (10) C280
Carbides,
cemented, exaggerated grain growth during inhomogeneous milling (2) C31
Carbonates,
alkaline-earth, formation of metastable phase (7) C162
Casting,
tape, fluid flow model for (10) C280
Cements,
C_3S, C_3A, and gypsum, retention of Co, Cs, and Sr in hydrates of (8) 604
C-S-H, gels, model for solubilities and free energies of formation (7) 481
paste, portland, drying shrinkage mechanisms (5) 323
Ceramic materials,
cracking in, high-temperature stress corrosion (4) 257
glass phases, intergranular, equilibrium thickness of (1) 15
liquid phases, at high temperatures, dielectric loss to detect (9) C209
test specimens, modified chevron (6) C133
testing, tensile (10) C242
Ceramic-metal systems,
bond interface, Al-Al_2O_3 (7) C154
bonds, under transient thermal loads, interfacial cracks in (12) 855
Chemical properties,
acid durability, of Na and K galliosilicate glasses (4) 271
durability, of Na borosilicate glasses improved by phase separation (5) 333
of fluoride glasses (4) 295; (9) 654
of glasses, Pb-In phosphate and Pb-Sc phosphate (9) 615
Chemistry,
of $BaTiO_3$, defective, with additions of $CaTiO_3$ (2) 100
redox, of glasses for nuclear waste immobilization (8) 591
Chromium,
Cr_2O_3 and Cr_2O_3-0.09 wt% Y_2O_3, cation tracer diffusion in (12) 880
$LaCrO_3$, polycrystalline, oxidation kinetics (8) C189
$YCrO_3$ and $LaCrO_3$, effect of cation substitution on electrical and thermal transport (4) 265
dissolved in glass, oxidation states of (6) C129
Coatings,
on brittle substrates, measurement of residual stresses by indentation fracture (5) 344
on films, $20B_2O_3$·$80SiO_2$, by sol-gel method (1) C13
Colloids,
$2SiO_2$·$3Al_2O_3$, mullite from, change in chemical composition during formation (10) C245
C-S-H, model for solubilities and free energies of formation (7) 481
$PbTiO_3$, polymeric, structure of (10) C295
gelation, of $Al(OH)_3$ sols (1) 28
glasses, Na_2O·CaO·high-SiO_2, sol-gel derived (1) C21
sol-gel process, in system PbO-TiO_2, effects of pH and temperature (2) C35
Compacts,
MgO, creep-sintering and microstructure development (5) 360
glass powder, creep and densification during sintering (10) 766
made from bimodal particle size distributions, packing and sintering (11) 843
powder, glass, effect of rigid inclusions on sintering (12) C348
sinter forging, enhancement of strength through (7) 514
Composites,
AgCl-Al_2O_3, enhanced ionic conduction induced by plastic deformation (2) 65
Al_2O_3-SiC whisker, crack initiation and arrest in (6) 393
thermal shock behavior (5) C109
β-Al_2O_3/ZrO_2, colloidal method for ensuring phase homogeneity (12) 896
SiC-ZrB_2, electrical resistivity, effect of uniformity (12) C369
Y-TZP/mullite, sintering and mechanical properties (11) C342
ceramic matrix, high-temperature mechanical properties (7) 466
fiber-reinforced, measurement of interfacial mechanical properties (8) 542
stresses during sintering, method of measuring (12) C355
glass-ceramic, ceramic fiber-reinforced, thermomechanical mismatch in (1) 1
thermistors, V_2O_5-polymer (8) 583
Concretes,
shrinkage, drying, model for predicting (5) 329
Conductivity,
electrical, of SnO_2, Sb-doped (7) C142
of crystals, Fe-doped NiO at equilibrium and during oxidation (9) 669
ionic, of AgCl-Al_2O_3 composites, induced by plastic deformation (2) 65
Conductors,
ionic, CeO-Y_2O_3, O-ion, electrical properties of grain boundaries (9) 637
Cordierite,
hexagonal, structural aspects of lattice thermal expansion (3) 175
Corrosion,
of SiO_2-bearing ceramics, in $S-O_2$ atmosphere (7) 456
c^e glasses, P oxynitride, in water and humid air (6) 425
Cracking,
branching, in rectangular bars, comparison of stress-intensity and Johnson-and-Holloway criteria (8) 565
grain-boundary micro-, due to thermal expansion anisotropy in Al titanate (8) C184
micro-, in two-phase materials, computer simulation of *R*-curve (11) 849
stress corrosion, high-temperature, in ceramics (4) 257
Cracks,
in Al_2O_3-SiC whisker composites, initiation and arrest (6) 393
branching, in glass rods, criteria for (6) 413; (6) 419
deflection, as toughening mechanism in SiC-whisker-reinforced MoSi$_2$ (4) C79
fatigue, propagation in transformation-toughened (10) C248
growth, in vitreous SiO_2, effects of counterions (12) 891
indentation, in glass, growth and coalescence (11) C301
-interface grain bridging, as fracture-resistance mechanism in ceramics (4) 279; (4) 289
interfacial, in ceramic-to-metal bonds under thermal loads (12) 855
subcritical, effect of growth on K_{Ic} using chevron-notched specimens (2) 78
growth along ceramic-metal interfaces (12) C352
tip blunting, effect of dynamic fatigue of high-SiO_2 glass (6) 377
of glasses, kinetics (1) 43
Creep,
cavitation, in liquid-phase-sintered Al_2O_3 (3) 137
of compacts, glass powder, during sintering (10) 766
deformation, in Al_2O_3, cavity development during (3) 197

diffusional, in Y_2O_3-stabilized ZrO_2 (8) 531
-sintering, of MgO compacts (5) 360
Cristobalite,
α-, in fused SiO_2, TEM study (4) C77
Crystalline materials,
Al phosphate, preparation by reaction using B phosphate (1) C23
rare-earth oxides, elastic modulus-porosity relation in (12) C362
Crystallization,
of Al_2O_3, in presence of SiO_2 (3) C46
controlled, of amorphous Si_3N_4 (7) 460
of glass-ceramics, chain-silicate canasite, effect on thermal shock behavior (1) C2
complex Li silicate (8) 577
of glasses, Li_2O-SiO_2 (8) 599
of glassy phases, in Si_3N_4, enhanced by addition of Sc_2O_3 (12) C380
heterogeneous, of glass-forming $56Ga_2O_3$·44CaO (8) 553
Crystallography,
(111) twins, in $BaTiO_3$, formation of (8) C195
topotaxy, between $BaTiO_3$ and $Ba_4Ti_{13}O_{30}$ (8) C193
Crystals,
$4K_2O$·CaO·$10SiO_2$, growth from melt, kinetics of (1) 48
CdO, growth from vapor phase (10) C254
Cr_2O_3 and Cr_2O_3-0.09 wt% Y_2O_3, cation tracer diffusion in (12) 880
K β-ferrite, ion exchange in alkali layers (12) 874
(Mg,Cu)O, mechanism of internal reduction of (10) C291
$MgAl_2O_4$, spinel, Knoop microhardness anisotropy (4) C84
MgO, Li-doped, O self-diffusion in (11) C327
NiO, Fe-doped, electrical conductivity at equilibrium and during oxidation (9) 669
TiC, inelastic deformation of (5) 315
β-$LiAlO_2$, rod-shaped, growth of (10) 268
β-SiC, twinned, growth by vapor-liquid-solid process (11) C338
magnetite bi-, diffraction from natural grain boundary (3) 125
nucleation, combined homogeneous and heterogeneous, in glasses (7) 475
Decomposition,
of $Mg(OH)_2$ and $MgCO_3$, structural transformations in (3) 146
eutectoid, of MgO-PSZ (6) 431
spinodal, in system SnO_2-TiO_2 (5) 301
Defects,
rigid inclusions, effect on sintering of glass powder compacts (12) C348
sintering with (10) 719
surface, effect of size on fracture strength of Al_2O_3 (2) C29
Deformation,
creep, in Al_2O_3, cavity development during (3) 197
inelastic, of TiC crystals (5) 315
plastic, ionic conduction in AgCl-Al_2O_3 composites induced by (2) 65
Densification,
of Al_2O_3, effect of sintering temperature (4) C69
sinterable, role of MgO and TiO_2 (12) 885
of $SrTiO_3$, sintered with V_2O_5 (10) C260
of compacts, glass powder, during sintering (10) 766
Density,
of powders, sintered Y_2O_3, effect of agglomerate strength (11) C329
Deposition,
CVD, of engineering materials in impinging jet reactor, analysis of (12) 907
of films, particle, on rigid substrate (11) C315
Deuterium,
deuteroxyl content, of vitreous SiO_2, determination of (1) C9
Diagrams,
phase, Al_2O_3-SiO_2, in mullite region (10) 750
Diamonds,
sintered, with high electrical resistivity and hardness, synthesis of (10) C237
Dielectric materials,
$Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-based, microstructural inhomogeneity in (3) C39
solid solutions, $Ba(Co_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1/3}Nb_{2/3})O_3$, properties of (9) C215
systems, $Pb(Zn_{1/3}Nb_{2/3})O_3$-$BaTiO_3$-$PbTiO_3$, properties of (2) 119
Y_2O_3-BaO-CuO, subsolidus compatibilities via diamagnetic susceptibility (7) C165
Dielectric properties,
of solid solutions, $Ba(CO_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1/3}Nb_{2/3})O_3$ (9) C215
Dielectrics,
measurements of package materials, in inhomogeneously filled rectangular waveguide (10) C278
Diffraction,
from grain boundary, in magnetite bicrystals (3) 125
Diffusion,
in MgO, effect of ionic charge (4) C73
O self-, in Li-doped MgO (11) C327
cation tracer, in Cr_2O_3 and Cr_2O_3-0.09 wt% Y_2O_3 (12) 880
Dynamics,
molecular, simulation of structure of borate glasses (9) 622
Elasticity,
of Al_2O_3, open-cell (11) 811
-porosity relations, in polycrystalline rare-earth oxides (12) C362
Electrical properties,
conductivity and cation distribution, in Fe-excess Mn ferrite (6) 388
of grain boundaries, in O-ion conductor CeO_2-Y_2O_3 (9) 637
high resistivity, synthesis of sintered diamond with (10) C237
resistivity, of SiC, effect of elemental additives (10) C266
of SiC-ZrB_2 composites, effect of uniformity (12) C369
transport, of $YCrO_3$ and $LaCrO_3$, effect of cation substitution (4) 265
Electrolytes,
Al_2O_3, Na β″-, asymmetric polarization behavior (4) 221
Enstatite,
polymorphism of (5) 349
Eutectics,
NiO-CaO, directionally solidified, fracture initiation in (5) 305
Extrusion,
hot, texture development in $YBa_2Cu_3O_x$ by (12) C388
Fatigue,
crack propagation, in transformation-toughened ZrO_2 (10) C248
dynamic, of treated high-SiO_2 glass (6) 377
-precracked Al_2O_3, mode I-mode III fracture of (10) 726
static, and cyclic, of sintered Si_3N_4 (6) 400
of optical fibers in bending (9) 662
Ferrites,
K β-, crystals, ion exchange in alkali layers (12) 874
Mn, Fe-excess, electrical conductivity and cation distributions (6) 388
Ferroelectric materials,
$(Na_{65},K_{35})NbO_3$, with Ba additions, conventionally sintered (1) C18
PZT, ac-assisted poling of (2) C33
Fiber optics,
SiO_2, Weibull distribution function (8) C182
in bending, static fatigue (9) 662
tests on, tensile and bending, Weibull statistics (10) C230
Fibers,
ZrO_2, high-strength (8) C187
ceramic, from polymeric precurosrs, properties of (11) 798
fatigue testing of, static (4) C67
Films,
$20B_2O_3$·$80SiO_2$, coating by sol-gel method (1) C13
SiO_2, on Si and Si_3N_4, devitrification and crazing of (10) C269
microporous, nitridation in NH_3 (1) 9
particle, on rigid substrate, deposition and sintering (11) C315
particulate, photolithographic patterning of (11) C311
Fission,
-gas behavior, in metallic fuels, modeling (10) 699
Flow,
behavior, of slurry during tape casting (10) C280
Fluorescence,
in glasses, Ce-activated SiO_2 (2) 72
Fluorides,
glasses, chemical durability of (9) 654
Fluorine,
effect on thermal properties, of fluorophosphate glasses (10) C264
Fluxes,
effect on reactions, of Y_2O_3 and SiO_2 (7) C160
Formation,
of (111) twins, in $BaTiO_3$ (8) C195
of mullite, from $2SiO_2$·$3Al_2O_3$ xerogel, change of chemical composition during (10) C245
Fracture,
criterion, for Al_2O_3 under triaxial stress—comment (8) C201
for Al_2O_3 under triaxial stress—reply (8) C202
indentation, measurement of residual stresses in coatings on brittle substrates by (5) 344
initiation, in directionally solidified NiO-CaO eutectic (5) 305
mixed-mode, in Na_2O-CaO glass, using indentation flaws (9) 630
mode I-mode III, of fatigue-precracked Al_2O_3 (10) 726
resistance mechanism, crack-interface grain bridging as (4) 279; (4) 289
stress corrosion, of glass, steric effects in (10) 780
thermal, of ceramics in water quench test, statistical study (6) 406
toughness, of Ce-TZP, evaluation of test methods (12) C366
Friction,
in TiN-TiB_2 and Ti(CN)-TiB_2, friction at high temperature (5) C103
internal, of network-forming glasses of systems P_2O_5-(GeO_2, TeO_2, Sb_2O_3, V_2O_5) (4) 254
Fuels,
metallic, modeling fission-gas behavior in (10) 699
Gases,
outgassing, of ZrF_4-based glasses (4) C86
Glass,
$12CaO·7Al_2O_3$, seal, thermal expansion of (10) C288
Ba aluminoborate, X-irradiated, optical and thermal bleaching of (1) 59
Ca aluminate, dopant-free, UV-sensitive, photosensitive mechanism (12) 870
dopant-free, UV-sensitive, photosensitive properties (12) 867
CdF_2-LiF-AlF_3-PbF_2, phase stability (7) 510
Cr dissolved in, oxidation states of (6) C129
Li_2O-SiO_2, crystallization kinetics (8) 599
Na and K gallosilicate, acid durability of (4) 271
Na borosilicate, chemical durability improved by phase separation (5) 333
Na metaphosphate, factors affecting N dissolution (4) 232
Na_2O-CaO, fracture strength, effect of polyaxial stress states (7) 470
indented, strength variability of (6) 441
mixed mode fracture using indentation flaws (9) 630
Na_2O-CaO-SiO_2, stress buildup and relaxation during ion exchange strengthening (2) 86
Na_2O-CaO-high-SiO_2, sol-gel-derived (1) C21
P oxynitride, corrosion in water and humid air (6) 425
structure of (9) 675
Pb silicate, strength after H_2 reduction (4) C75
Pb-In phosphate and Pb-Sc phosphate, properties of (9) 615
SiO_2, Ce-activated, preparation of (2) 72
microhardness (7) 497
SiO_2 and Na_2O-SiO_2, structural role of Zn oxide (11) 821
SiO_2-Al_2O_3, roller-quenched, NMR evidence of 4-, 5-, and 6-fold Al sites in (1) C10
ZnO-Al_2O_3-SiO_2, thermal stability and acid resistivity (5) C101
ZrF_4, photoluminescence and absorption of (4) C81
ZrF_4-based, outgassing of (4) C86
alkali aluminosilicate, Al_2O_3 anomaly and structure model (4) 242
aluminate, O-effervescent (3) C38
arsenate, new (3) 133
borate, structure, molecular dynamics simulation (9) 622
crack tip blunting, kinetics of (1) 43
cracks in, indentation, growth and coalescence (11) C301
crystal nucleation in, combined homogeneous and heterogeneous (7) 475
fluoride, chemical durability (4) 295; (9) 654
fluorophosphate, effect of F on thermal properties (10) C264
-forming $56Ga_2O_3$·44CaO, heterogeneous-nucleation studies of (8) 553
fracture, stress corrosion, steric effects in (10) 780
high-SiO_2, dynamic fatigue of (6) 377
implanted with heavy ions, near-surface modifications of (10) 775
for nuclear waste immobilization, redox chemistry (8) 591
oxycarbide and oxynitride, comparison of properties (5) C114
parts, undergoing viscous relaxation, finite-element calculation of stresses (2) 90
penetration of Al_2O_3 by, at high temperatures (7) 449
phases, intergranular, in ceramic materials, equilibrium thickness of (1) 15
powder, compacts, effect of rigid inclusions on sintering (12) C348
powder compacts, creep and densification during sintering (10) 766
rare-earth phosphate, Raman spectra (12) C378
rods, criteria for crack branching in (6) 413; (6) 419
ion-exchanged, network dilatation after slicing (8) 595
silicate, along joint $xMAlO_2$-$(1-x)SiO_2$ (M = Li, Na, K, Rb, Cs), spectroscopic analysis of structure (3) 183
systems, P_2O_5-(GeO_2, TeO_2, Sb_2O_3, V_2O_5), internal friction of (4) 254
P_2O_5-(GeO_2, TeO_2, Sb_2O_3, V_2O_5), network-forming, free volume of (9) C213
Y_2O_3-Al_2O_3-SiO_2, properties of (10) C283
toughness, effect of surface tension (3) 160
Glass-ceramics,
Li aluminosilicate, mechanism of oxide nucleation (8) C176
Li silicate, crystallization kinetics (8) 577
chain-silicate canasite, effect of crystallization on thermal shock behavior (1) C2
grinding, effect of microstructure (6) C139
osumilite, effect of SiC fiber reinforcement on thermal diffusivity/conductivity (6) C135
Glass fibers,
As_2S_3, stressed, structural changes in (8) 561
strength, statistics of combined effect of flaw distribution and diameter variation on (7) 486
Grain boundaries,
in CeO_2-Y_2O_3, O-ion conductor, electrical properties (9) 637
natural, in magnetite bicrystals, diffraction from (3) 125
Grain growth,
in $BaTiO_3$, control of (1) 23
donor-doped (5) 311
in ceramics, two-phase (11) 827
exaggerated, in cemented carbides during inhomogeneous milling (2) C31
Gypsum,
solutions, early hydration of C_4AF in (7) 493
Hardness,
micro-, of SiO_2 glass (7) 497
Homogeneity,
phase, in β-Al_2O_3/ZrO_2 composite systems, colloidal method to ensure (12) 896
Hydrates,
of C_3S, C_3A, and gypsum, retention of Co, Cs, and Sr in (8) 604
Ca silicate, and their solutions, thermodynamics of (10) 743
Hydration,
of Na β- and β″- Al_2O_3 (11) 816
early, of C_4AF in gypsum and lime-gypsum solutions (7) 493

reactions, in system CaO-SiO_2-CaF_2 (1) 39
Hydrolysis,
of tetraethyl orthosilicate, by in situ generation of water (11) C298
Impurities,
acceptor, in $BaTiO_3$, Ca as (2) 96
Indentation,
flaws, mixed-mode fracture in Na_2O-CaO glass using (9) 630
Interfaces,
bond, Al-Al_2O_3 (7) C154
ceramic-metal, subcritical crack growth along (12) C352
Ions,
cation distribution, in Fe-excess Mn ferrite (6) 388
counter-, effects on crack growth in vitreous SiO_2 (12) 891
exchange, in alkali layers of K β-ferrite crystals (12) 874
in brittle materials, introducing compressive surface stresses by (5) C112
heavy, near-surface modifications of glass implanted with (10) 775
Iron,
γ-Fe_2O_3, derived from γ-FeOOH, X-ray line broadening in (5) 321
solubility, in mullite, temperature-dependence (3) C43
Joining,
Al_2O_3, by inducing localized reducing conditions (1) C4
Joints,
adhesive, effect of joint thickness and residual stresses on properties (2) 104; (2) 110
ceramic-metal, subcritical crack growth along interfaces (12) C352
Kaolin,
-mullite thermal sequence, characterization of spinel phase formed in—comment (9) C222
characterization of spinel phase formed in—reply (9) C223
Kaolinite,
-to-mullite reaction series, spinel phase formation in (11) 837
Kinetics,
crack tip blunting, of glasses (1) 43
crystallization, of Li_2O-SiO_2 glasses (8) 599
demixing, in Y_2O_3-stabilized ZrO_2 (8) 531
dissolution, of SiO_2 in HF-HCl acid mixtures (8) 570
oxidation, of $LaCrO_3$ (8) C189
Lanthanum,
$LaCrO_3$, polycrystallization, oxidation kinetics (8) C189
$LaYO_3$, new modification of (6) C131
Lead,
PZT, ac-assisted poling of (2) C33
poling effects in, acoustic characterization (10) C256
Lithium,
$LiAlO_2$, powders, synthesis by hydrolysis of metal alkoxides (3) 171
β-$LiAlO_2$, rod-shaped, crystal growth of (10) 268
molten, degradation of SiC by (11) C318
Luminescence,
photo-, of ZrF_4 glass and ZrF_4 (4) C81
Magnesium,
$Mg(OH)_2$, and $MgCO_3$, decomposition, structural transformations in (3) 146
Magnesium oxide,
-$CaMgSiO_4$, effect of sintering atmosphere on isolated pores (10) 734
compacts, creep-sintering and microstructure development (5) 360
crystals, Li-doped, O self-diffusion in (11) C327
particles, H_2O-catalyzed sintering of (3) 155
surface layer, effect of ionic charge on diffusion in (4) C73
Magnetic properties,
susceptibility, in systems Y_2O_3-BaO-CuO (7) C165
Masks and masking,
photolithographic patterning, of particulate films (11) C311
Materials,
two-phase, microcracking, computer simulations of *R*-curve (11) 849
Materials, engineering,
Al_2O_3, crystallization in presence of SiO_2 (3) C46
doped with MgO and FeO, sintering (12) 860
with high surface area, coprecipitation of (7) C157
liquid-phase-sintered, creep cavitation in (3) 137
CVD, in impinging jet reactor, analysis of (12) 907
γ-Fe_2O_3, X-ray line broadening in (5) 321
$LaYO_3$, new modification of (6) C131
$Mg(OH)_2$ and $MgCO_3$, decomposition, structural transformations in (3) 146
SiC, high-strength, processing method for (11) C303
SiC-AlN, modulated structures in (6) C125
Si_3N_4, bonding, liquid-phase, using Mg-Si-O-N glasses (5) C105
SiO_2, amorphous, diffraction studies (3) 192
-bearing, corrosion in S-O_2 atmosphere (7) 456
ZrO_2, MgO-PSZ, eutectoid decomposition of (6) 431
polymorphic mixes of, XRD study (5) 367
whisker reinforcement and toughening (9) 651
ZrO_2-containing, transformation toughening in (10) 689
composites, β-Al_2O_3/ZrO_2, colloidal method to ensure phase homogeneity (12) 896
SiC whisker-Al_2O_3 matrix, crack initiation and arrest in (6) 393
ceramic matrix, high-temperature mechanical properties (7) 466
cordierite, hexagonal, lattice thermal expansion (3) 175
enstatite, polymorphism of (5) 349
eutectics, NiO-CaO, directionally solidified, fracture initiation in (5) 305
fibers, made from polymeric precursors, properties of (11) 798
forging, sinter, enhancement of strength through (7) 514
fracture-resistance mechanism, crack-interface grain bridging as (4) 279; (4) 289
oxides, demixing under temperature gradient (4) 246
powders, transition Al_2O_3, high-temperature characteristics (6) C122
systems, HfO_2-TiO_2 (6) 383
Measurement,
dielectric, of package materials in inhomogeneously filled rectangular waveguide (10) C278
direct, of piezoelectric strain, using diffraction grating (8) 557
of mechanical properties, interfacial, of fiber-reinforced composites (8) 542
oxide thickness, in electron probe microanalyzer (11) C324
tensile fracture toughness, in Al_2O_3 (3) C41
Mechanical properties,
of composites, Y_2O_3-doped tetragonal ZrO_2 polycrystals/mullite (11) C342
high-temperature, of ceramic matrix composites (7) 466
interfacial, of fiber-reinforced composites (8) 542
of mullite, prepared by sol-gel method (1) C7
thermo-, mismatch in ceramic fiber-reinforced glass-ceramic composites (1) 1
Melting,
temperatures, of monazite and xenotime (10) C252
Melts,
Na alkaline-earth metaphosphate, N dissolution in (4) 203
Metals,
Co, Cs, and Sr, retention in hydrates of C_3S, C_3A, and gypsum (8) 604
Milling,
inhomogeneous, of cemented carbides, exaggerated grain growth during (2) C31
Minerals,
monazite and xenotime, melting temperatures (10) C252
Mixing,
de-, of oxides under temperature gradient (4) 246
Models,
computer, of *R*-curve behavior in microcracking materials (11) 849
constitutive, for predicting drying shrinkage of concrete (5) 329
for gels, C-S-H (7) 481
structure, of alkali aluminosilicate glasses (4) 242
Molybdenum,
$MoSi_2$, SiC-whisker-reinforced, crack deflection as toughening mechanism (4) C79
Morphology,
of ZrO_2, tetragonal, in ternary (Mg,Y)-PSZ (4) 208
of grain growth, in Al_2O_3, effect of liquid phase (5) 339
plasma-induced, changes in α-SiC (2) C26
polymorphism, of enstatite (5) 349
pore evolution, during crack healing (8) C172
Mortars,
portland cement, effect of condensed SiO_2 fume on microstructure (10) 738
Mullite,
from $2SiO_2$·$3Al_2O_3$, change in chemical composition during formation (10) C245
Fe solubility in, temperature-dependent (3) C43
region, of system Al_2O_3-SiO_2 (10) 750
reinforced with SiC whiskers, thermal conductivity/diffusivity of (10) C226
by sol-gel method, microstructure and mechanical properties (1) C7
Nickel,
NiO, Fe-doped crystals, electrical conductivity at equilibrium and during oxidation (9) 669
solubility in Al_2O_3 (11) C309
Niobates,
$(Na_{0.5}K_{0.5})NbO_3$, with Ba additions, conventionally sintered (1) C18
Nitridation,
of films, microporous SiO_2 in NH_3 (1) 9
Nitrogen,
dissolution, in Na alkaline-earth metaphosphate melts (4) 203
in Na metaphosphate glass, factors affecting (4) 232
Nuclear materials,
fuels, metallic, modeling fission-gas behavior in (10) 699
synroc, formulation by perovskite dissolution (7) C144
systems, $UMoO_4$/$UMoO_5$, O potential in (7) C168
wastes, redox chemistry of glasses for immobilizing (8) 591
Nucleation,
combined homogeneous and heterogeneous crystal, in glasses (7) 475
heterogeneous, of $56Ga_2O_3$·44CaO (8) 553
oxide, in Li aluminosilicate glass-ceramics (8) C176
Optical properties,
of glasses, Pb-In phosphate and Pb-Sc phosphate (9) 615
thermal bleaching, of X-irradiated Ba aluminoborate glasses (1) 59
Oxidation,
grain-boundary, effect on fracture toughness of SiC (8) 548
kinetics, of polycrystalline $LaCrO_3$ (8) C189
Oxides,
(Mg,Cu)O, mechanisms of internal reduction of (10) C291
demixing, under temperature gradient (4) 246
rare-earth, polycrystalline, elastic modulus-porosity relationship in (12) C362
scales, transport properties, test for—comment (12) C374
strengthening, by transformation-induced stresses (3) 164
superconducting, preparation by citrate process (12) C375
thickness, measurement in electron probe microanalyzer (11) C324
Oxygen,
$p(O_2)$, in donor-doped $BaTiO_3$ (5) 311
contamination, effect on densification of TiB_2 (8) 527
-effervescent glass, aluminate (3) C38
potential, in system $UMoO_4$/$UMoO_5$ (7) C168
self-diffusion, in Li-doped MgO crystals (11) C327
Particles,
MgO, H_2O-catalyzed sintering of (3) 155
with bimodal size distributions, packing and sintering compacts made from (11) 843
films, photolithographic patterning of (11) C311
on rigid substrate, deposition and sintering (11) C315
Pastes,
cement, portland, drying shrinkage mechanisms in (5) 323
Pellets,
Li silicate, effect of powder preparation and compacting pressure on structure (12) C387
Perovskites,
cubic, preparation of $A(B'_{2/5}W_{3/5})O_3$ (A = Ba or Sr; B = Na or Li) (5) C99
dissolution of, hydrothermal (7) C144
Phase equilibria,
compatabilities, in system Y_2O_3-BaO-CuO (9) C204
relations, and ordering, in system ZrO_2-MgO (7) 521
systems, Ba_2SiO_4-Ca_2SiO_4 (12) C383
Fe oxide-Co oxide-P oxide (11) 831
Nd_2O_3-F_2O_3 (6) 396
α-Al_2O_3-SiO_2 (10) 704
Phases,
Ba-Ti-O, in rutile, grain-boundary and surface segregation of (4) 274
amorphous second, effect on properties of Y_2O_3-stabilized ZrO_2 (1) 54
glassy, in Si_3N_4, enhanced crystallization by addition of Sc_2O_3 (12) C380
high-pressure, of ZrO_2, metastable retention of (9) 628
liquid, in ceramics at high temperatures, dielectric loss to detect (9) C209
effect on morphology of grain growth in Al_2O_3 (5) 339
sintering in presence of (10) 708
metastable, formation process in alkaline-earth carbonates (7) C162
spinel, formation in kaolinite-to-mullite reaction series (11) 837
formed in kaolin-mullite sequence, characterization of—comment (9) C222
formed in kaolin-mullite sequence, characterization of—reply (9) C223
transformation, profiles, determination of (4) 227
Phosphates,
Al, crystalline, preparation by reaction using B phosphate (1) C23
$MZr_4P_6O_{24}$ (M = Mg, Ca, Sr, Ba), synthesis and thermal expansion of (10) C232
rare-earth ortho-, monazite and xenotime, melting temperatures of (10) C252
zirconyl, low-thermal-expansion (8) 585
Phosphorus,
oxynitride glasses, structure of (9) 675
Photosensitive materials,
glass, Ca aluminate, dopant-free, UV-sensitive, photosensitive mechanism (12) 870
Ca aluminate, dopant-free, UV-sensitive, properties (12) 867
Physical properties,
of glasses, ZnO-Al_2O_3-SiO_2-based, thermal stability and acid resistivity (5) C101
Physicochemical properties,
of TiN-TiB_2 and Ti(CN)-TiB_2, friction at high temperature (5) C103
of glasses, oxycarbide and oxynitride, comparison (5) C114
in system Y_2O_3-Al_2O_3-SiO_2 (10) C283
Physics,
network dilatation, in ion-exchanged glass rods after slicing (8) 595
sintering, in temperature gradients, theory of (3) C61
test specimens, modified chevron (6) C133
viscosity, negative pressure dependence of (7) C152
Piezoelectric properties,
strain, direct measurement using diffraction grating (8) 557
Piezoelectricity,
polings effects, in PZT, acoustic characterization (10) C256
Polarization,
asymmetric, of Na β''-Al_2O_3 electrolyte (4) 221
Polymers,
precursors, organometallic, ceramics formed by pyrolysis of, TEM study (3) C58
properties of ceramic fibers produced from (11) 798
Pores,
arrays, controlled-morphology, production of (8) C172

isolated, in M_3O-CaMgSiO$_4$, effect of sintering atmosphere (10) 734
Powders,
Al_2O_3, and TiO_2, formation of Al_2TiO_5 by solid-state reaction of (1) 33
transition, high-temperature characteristics (6) C122
$LiAlO_2$, synthesis by hydrolysis of metal alkoxides (3) 171
Si, from laser-heated silane, crystal structure (1) C15
reaction sintering of (3) C52
TiO_2, dissolution kinetics in HF-HCl solutions (12) 900
Y_2O_3, sintered density, effect of agglomerate strength (11) C329
Precipitation,
co-, of La-β-Al_2O_3 (7) C157
Pressing,
hot-, texture development in $YBa_2Cu_3O_x$ by (12) C388
Pressure,
compacting, effect on structure of Li silicate pellets (12) C387
dependence, negative, of viscosity (7) C152
sintering, analysis of (9) C210
Purification,
outgassing, of ZrF_4-based glasses (4) C86
Pyrolysis,
laser-driven, synthesis of TiO_2 from Ti isopropoxide by (5) C117
of polymer precursors, organometallic, TEM study of ceramics formed by (3) C58
Quenching,
test, statistical study of thermal fracture in (6) 406
Radiation,
synchrotron, determination of phase transformation depth profiles with (4) 227
Rare earths,
oxides, polycrystalline, elastic modulus-porosity relation in (12) C362
Reactions,
of Y_2O_3 and SiO_2, effect of flux materials (7) C160
of ZrO_2, with water, surface characterization (9) C212
electrochemical, of Y_2O_3-stabilized ZrO_2 with molten Na_2SO_4 (9) C220
hydration, in system CaO-SiO_2-CaF_2 (1) 39
kaolinite-to-mullite series, spinel phase formation in (11) 837
solid-state, of Al_2O_3 and TiO_2 powders, formation of Al_2TiO_5 by (1) 33
Reactors,
impinging jet, CVD of ceramics in, analysis (12) 907
Reduction,
H_2, strength of Pb silicate glass after (4) C75
internal, of (Mg,Cu)O, mechanism of (10) C291
Refractories,
oxides, dissolution in molten Ca-Al silicate (3) C55
Relaxation,
viscous, calculation of stresses in glass parts undergoing (2) 90
Resistivity, electrical,
of composites, SiC-ZrB_2, effect of uniformity (12) C369
Resistors, electrical,
ZnO-based, effect of process variables on microstructure and *V-I* characteristics (9) 643
thermistors, V_2O_3-polymer composite (8) 583
varistors, ZnO, effects of Sb_2O_3 on characteristics (4) 237
ZnO, origin of (4) C71
Rutile,
Ba-Ti-O phases, grain boundary and surface segregation of (4) 274
Seals and sealing,
12CaO·7Al_2O_3, thermal expansion of (10) C288
Segregation,
of Ca, to surface of Al_2O_3 (9) 682
grain-boundary and surface, of Ba-Ti-O phases in rutile (4) 274
Separation,
phase, chemical durability of Na borosilicate glasses improved by (5) 333
Shrinkage,
drying, of concrete, model for predicting (5) 329
mechanisms in portland cement paste (5) 323
Sialons,
sintering, without added liquid phase (10) C273
Silicates,
Ca, hydrates, thermodynamics of (10) 743
Ca-Al, molten, dissolution of refractory oxides in (3) C55
Li, glass-ceramics, crystallization kinetics of (8) 577
pellets, effect of powder preparation and compacting pressure on structure (12) C387
tetraethyl ortho-, hydrolysis by in situ generation of water (11) C298
Silicon,
and Si_3N_4, devitrification and crazing of SiO_2 films on (10) C269
free, effect on α to β phase transformation in Si_3N_4 (10) C240
powder, from laser-heated silane, crystal structure (1) C15
reaction sintering of (3) C52
Silicon carbide,
-AlN ceramics, modulated structures in (6) C125
-ZrB_2 composites, effect of uniformity on electrical resistivity (12) C369
α-, plasma-induced morphological changes in (2) C26
β-, twinned whiskers, growth by vapor-liquid-solid process (11) C338
degradation, by molten Li (11) C318
electrical resistivity, effects of elemental additives (10) C266
fibers, or whiskers, reinforcement, effect on thermal diffusivity/conductivity of osumilite glass-ceramic (6) C135
fracture toughness, effect of grain-boundary oxidation (8) 548
high-strength, processing method for (11) C303
polytypes, thermal expansion and thermal expansion anisotropy (7) 445
whiskers, $MoSi_2$ reinforced by, crack deflection as toughening mechanism (4) C79
thermal conductivity/diffusivity of mullite reinforced with (10) C226
Silicon dioxide,
Quartz; Quartzite; Refractories; Sands.
and Y_2O_3, reaction of, effect of flux materials (7) C160
amorphous, metastable, diffraction studies (3) 192
crystalline and amorphous, dissolution kinetics in HF-HCl acid mixtures (8) 570
films, on Si and Si_3N_4, devitrification and crazing of (10) C269
microporous, nitridation in NH_3 (1) 9
fume, effect on microstructure of portland cement mortars (10) 738
fused, α-cristobalite in, TEM study (4) C77
glass, Ce-activated, preparation of (2) 72
microhardness of (7) 497
optical fibers, Weibull distribution function for (8) C182
vitreous, determination of deuteroxyl content (1) C9
effects of counterions on crack growth (12) 891
Silicon nitride,
α to β phase transformation, effects of free Si (10) C240
amorphous, controlled crystallization of (7) 460
bonding, liquid phase, using Mg-Si-O-N glasses (5) C105
glassy phase, crystallization by addition of Sc_2O_3 (12) C380
sintered, static and cyclic fatigue behavior (6) 400
Sintering,
Al_2O_3, ultra-high-purity doped with MgO and FeO (12) 860
$BaTiO_3$, effect of heating rate on microstructure (11) C322
H_2O-catalyzed sintering of, of MgO particles (3) 155
MgO-CaMgSiO$_4$, effect of atmosphere on pores (10) 734
TiO_2, in HCl atmosphere (12) C358
compacts, glass powder, creep and densification during (10) 766
glass powder, effect of rigid inclusions (12) C348
made from bimodal particle size distributions (11) 843
composites, Y-TZP/mullite (11) C342
fiber-reinforced, measurement of stresses during (12) C355
films, particle, on rigid substrate (11) C315
high-pressure self-combustion, of TiC (9) C206
liquid-phase (10) 708
pressure, analysis of (9) C210
reaction, of Si powder (3) C52
with rigid inclusions (10) 719
sialons, without externally added liquid phase (10) C273
in temperature gradients, theory for (3) C61
Slurries,
tape casting, fluid flow model for (10) C280
Solubility,
Fe, in mullite, temperature-dependence (3) C43
of NiO, in Al_2O_3 (11) C309
solid, effect on properties of TiB_2 (11) 793
Solutions,
$Al(OH)_3$, gelation of (1) 28
HF-HCl, dissolution of TiO_2 in, kinetics (12) 900
of N, in Na alkaline-earth metaphosphate melts (4) 203
in Na metaphosphate glasses, factors affecting (4) 232
gypsum, and lime-gypsum, early hydration of C_4AF in (7) 493
of oxides, refractory, in molten Ca-Al silicates (3) C55
Solutions, solid,
Al titanate, synthesis and thermal stability (2) 69
$AlVO_4$, formation from alkoxides (8) C198
$Ba(Co_{1/3}Nb_{2/3})O_3$-$Ba(Zn_{1/3}Nb_{2/3})O_3$, dielectric properties (9) C215
CeO_2-Y_2O_3, O-ion conductor, electrical properties of grain boundaries (9) 637
β-Ta_2O_5, formation and transformation in system Ta_2O_5-Al_2O_3 (11) C335
Spectra,
Raman, of Na titanate (3) C48
of rare-earth phosphate glasses (12) C378
Spectroscopy,
RBS, of kinetics of spinel growth on Al_2O_3 (7) C149
Raman, of rare-earth phosphate glasses (12) C378
of structural changes in stressed As_2S_3 glass fibers (8) 561
XRPS, of oxidation states of Cr dissolved in glass (6) C129
Spheres,
aluminosilicate, green and fired strengths of (10) 785
Spinels,
on Al_2O_3, kinetics of growth (7) C149
$MgAl_2O_4$, crystals, Knoop microhardness anisotropy (4) C84
phase, formation in kaolinite-to-mullite reaction series (11) 837
formed in kaolin-mullite thermal sequence—comment (9) C222
formed in kaolin-mullite thermal sequence—reply (9) C223
Stability,
phase, of CdF_2-LiF-AlF_3-PbF_2 glasses (7) 510
thermal, of Al titanate solid solutions (2) 69
Stoichiometry,
of Na titanate (3) C48
Strains,
piezoelectric, direct measurement using diffraction grating (8) 557
Strength,
of SiC, exposed to molten Li (11) C318
of aggregates, green and fired aluminosilicate (10) 785
enhancement, by sinter forging (7) 514
of fibers, glass, combined effect of flaw distribution and diameter variation on statistics (7) 486
fracture, of Al_2O_3, effect of surface flaw size (2) C29
of Na_2O-CaO glass, effect of stress states (7) 470
of SiC, effect of grain boundary oxidation (8) 548
effect of subcritical crack growth on (2) 78
of glasses, effect of surface tension (3) 160
improvement, in transformation-toughened ZrO_2 (10) 714
of optical fibers, Weibull statistics (10) C230
tensile, of $LaS_{1.4}$ (4) C90
of SiO_2 optical fibers, Weibull distribution function (8) C182
tensile fracture, measurements in Al_2O_3 (3) C41
variability, of indented Na_2O-CaO glass (6) 441
Strengthening,
behavior, involving multiple mechanisms (9) 651
ion exchange, of Na_2O-CaO-SiO_2 glass, stress buildup and relaxation during (2) 86
oxides, by transformation-induced stresses (3) 164
transformation, of ZrO_2-containing ceramics (10) 689
Stresses,
buildup and relaxation, during ion exchange strengthening of Na_2O-CaO-SiO_2 glass (2) 86
corrosion cracking, high-temperature, in ceramics (4) 257
corrosion fracture, of glass, steric effects in (10) 780
in glasses, parts undergoing viscous relaxation, finite-element calculation of (2) 90
-intensity and Johnson-and-Holloway criteria, for crack branching in rectangular bars (8) 565
residual, in coatings on brittle substrates, measurement by indentation fracture (5) 344
effect on properties of adhesive joints (2) 104; (2) 110
sintering, in fiber-reinforced composites, method for measuring (12) C355
states, effect on fracture strength of Na_2O-CaO glass (7) 470
surface, compressive, introducing into brittle materials (5) 112
transformation-induced, strengthening oxides by (3) 164
triaxial, fracture criterion for Al_2O_3 under—comment (8) C201
fracture criterion for Al_2O_3 under—reply (8) C202
Strontium,
$SrTiO_3$, sintered with V_2O_5, densification and microstructure (10) C260
Structure,
of $LaS_{1.4}$ (4) C90
crystal, of Si powders from laser-heated silane (1) C15
of gels, polymeric $PbTiO_3$ (10) C295
of glasses, P oxynitride (9) 675
Pb-In phosphate and Pb-Sc phosphate (9) 615
SiO_2 and Na_2O-SiO_2, role of Zn oxide (70) 821
borate, molecular dynamic simulation (9) 622
silicate, along joint $xMAlO_2$-$(1-x)SiO_2$ (M = Li, Na, K, Rb, Cs) (3) 183
of pellets, Li silicate, effect of powder preparation and compacting pressure (12) C387
pore, controlled, production of (8) C172
transformation, in cubic ZrO_2 (9) C218
Structure, micro-,
of $BaTiO_3$, effect of heating rate during sintering (11) C322
of $SrTiO_3$, sintered with V_2O_5 (10) C260
evolution, in Ca-PSZ (4) 214
of glass-ceramics, and Al_2O_3, effect on grinding (6) C139
inhomogeneity, in sintered $Pb(Mg_{1/3}Nb_{2/3})O_3$-$PbTiO_3$-based dielectrics (3) C39
of mortars, portland cement, effect of SiO_2 fume (10) 738
of mullite, prepared by sol-gel method (1) C7
in system α-Al_2O_3-SiO_2 (10) 704
of resistors, ZnO-based, effect of process variables (9) 643
Sulfates,
As_2S_3, stressed glass fibers, structural changes in (8) 561
Na_2SO_4, molten, electrochemical reactions with Y_2O_3-stabilized ZrO_2 (9) C220
Sulfides,
$LaS_{1.4}$, structure and tensile strength (4) C90
Superconductors,
$YBa_2Cu_3O_x$, texture development by hot extrusion and hot-pressing (12) C388
oxides, preparation by amorphous citrate process (12) C375
Surface,
Al_2O_3, anisotropic Ca segregation to (9) 682
of MgO, effect of ionic charge on diffusion in (4) C73
of ZrO_2, after reaction with water, characterization of (9) C212
near- modifications of glass, implanted with heavy ions (10) 775
stresses, compressive, in brittle materials, introducing (5) C112
Syaroc,
formulation, hydrothermal dissolution of perovskite (7) C144

Synthesis,
of $MZr_2P_4O_{24}$ (M = Mg, Ca, Sr, Ba) (10) C232
of diamond, sintered (10) C237
of mixed Na Ce(III) hexa-aluminate (8) C179
of powders, $LiAlO_2$, by hydrolysis of metal alkoxides (3) 171
of sialons (10) C273
Systems,
Al_2O_3-SiO_2, phase diagram in mullite region (10) 750
Ba_2SiO_4-Ca_2SiO_4, phases in (12) C383
CaO-SiO_2-CaF_2, hydration reactions in (1) 39
Ga_2O_3-CaO, glass-forming studies of $56Ga_2O_3$·44CaO (8) 553
HfO_2-TiO_2 (6) 383
K_2O-CaO-SiO_2, crystal growth kinetics from melt (1) 48
Nd_2O_3-P_2O_5, phase equilibria (6) 396
$Pb(Zn_{1/3}Nb_{2/3})O_3$-$BaTiO_3$-$PbTiO_3$, dielectric and ferroelectric properties of ceramics in (2) 119
PbO-TiO_2, sol-gel processing in, effects of pH and temperature (2) C35
SnO_2-TiO_2, spinodal decomposition (5) 301
Ta_2O_5-Al_2O_3, formation and transformation of β-Ta_2O_5 solid solution in (11) C335
$UMoO_4$/$UMoO_5$, O potential in (7) C168
Y_2O_3-Al_2O_3-SiO_2, glass properties in (10) C283
Y_2O_3-BaO-CuO, phase compatabilities in (9) C204
subsolidus compatibilities via diamagnetic susceptibility (7) C165
ZnO-Al_2O_3-SiO_2, glasses in, properties of (5) C101
ZrO_2-MgO, phases and ordering in (7) 521
ZrO_2-Y_2O_3, cubic-↔tetragonal phase transformation in (7) 503
α-Al_2O_3-SiO_2, microstructure and phase equilibria, effect of sol gel mixing (10) 704
Temperature,
and pH, effects on sol-gel processing with system PbO-TiO_2 (2) C35
sintering, effect of densification of Al_2O_3 (4) C69
Tension,
structural, in cubic ZrO_2 (9) C218
surface, effect on glass toughness (3) 160
Testing,
tensile (10) C242
Tests,
chevron-notched specimen, for effect of subcritical crack growth on K_{Ic} (2) 78
crack branching, in rectangular bars, comparison of stress-intensity and Johnson-and-Holloway criteria (8) 565
dielectric loss, to detect liquid phase in ceramics at high temperatures (9) C209
fatigue, static, for fibers (4) C67
fracture toughness, on Ce-TZP, evaluation of (12) C366
specimen, modified chevron (6) C133
static fatigue, on optical fibers in bending (9) 662
tensile and bending, on optical fibers, Weibull statistics (10) C230
water quench, statistical study of thermal fracture in (6) 406
Texture,
in $YBa_2Cu_3O_x$, development by hot-pressing and hot extrusion (12) C388
Thermal properties,
Al_2O_3-SiC whiskers, thermal shock behavior (5) C109
bleaching, of X-irradiated Ba aluminoborate glasses (1) 59
conductivity/diffusivity, of mullite reinforced with SiC whiskers (10) C226
diffusivity/conductivity, of osumilite glass-ceramic, effect of SiC fiber/whisker reinforcement (6) C135
expansion, of $12CaO·7Al_2O_3$ (10) C288
of $MZr_2P_4O_{24}$ (M = Mb, Ca, Sr, Ba) (10) C232
and expansion anisotropy, of SiC polytypes (7) 445
of glasses, fluorophosphate, effect of F on (10) C264
lattice expansion, of hexagonal cordierite, structural aspects of (3) 175
shock behavior, of chain-silicate canasite, effect of crystallization (1) C2
thermomechanical, mismatch in ceramic-fiber-reinforced glass-ceramic composites (1) 1
transport, of $YCrO_3$ and $LaCrO_3$, effect of cation substitution (4) 265
Thermodynamics,
of hydrates, Ca silicate and their solutions (10) 743
Thickness,
equilibrium, of intergranular glass phases in ceramic materials (1) 15
joint, effect on properties of adhesive joints (2) 104; (2) 110
oxide, measurement in electron probe microanalyzer (11) C324
Tin,
SnO_2, Sb-doped, electrical conductivity of (7) C142
Titanates,
Al, solid solutions, synthesis and thermal stability (2) 69
thermal expansion anisotropy, grain boundary microcracking due to (8) C184
$Ba_4Ti_{13}O_{30}$, topotaxy with $BaTiO_3$ (8) C193
Na, stoichiometry and Raman spectra (3) C48
$PbTiO_3$, gels, structure of (10) C295
$SrTiO_3$, sintered with V_2O_5, densification and microstructural development (10) C260
$ZnTiO_3$, formation and transformation (5) C97
Titanium,
TiB_2, effect of O contamination on densification (8) 527
solid solubility effect on properties (11) 793
TiN-TiB_2 and Ti(CN)-TiB_2, friction at high temperature (5) C103
Titanium carbide,
crystals, inelastic deformation of (5) 315
sintering, high-pressure self-combustion (9) C206
Titanium dioxide,
powder, dissolution in HF-HCl solutions, kinetics (12) 900
sintering, in HCl atmosphere (12) C358
synthesis, from Ti isopropoxide by laser-driven pyrolysis (5) C117
transformation in, anatase-rutile, effect of Sb_2O_5 (4) C64
Transformations,
of $ZnTiO_3$ (5) C97
of WO_3 (5) C94
α to β phase, in Si_3N_4, effect of free Si (10) C240
anatase-rutile, in TiO_2, effect of Sb_2O_5 (4) C64
of β-Ta_2O_5, solid solutions in system Ta_2O_5-Al_2O_3 (11) C335
cubic-↔tetragonal, in system ZrO_2-Y_2O_3 (7) 503
high-pressure, in ZrO_2 (9) 628
phase, depth profiles, determination with synchrotron radiation (4) 227
-toughened Al_2O_3, strength improvement in (10) 714
Transitions,
phase, in ZrO_2 and Y_2O_3-doped ZrO_2 at high pressure (10) 760
Transport,
long-range mass, role in sintering in temperature gradients (3) C61
properties of scales, oxide and Al_2O_3, test for—comment (12) C374
Tungsten,
WO_3, formation and transformation (5) C94
Vanadates,
$AlVO_4$, solid solution, formation from alkoxides (8) C198
Vanadium,
V_2O_5-polymer composites, thermistors (8) 583
Viscosity,
pressure dependence of, negative (7) C152
Vitrification,
de-, of SiO_2 films on Si and Si_3N_4 (10) C269
Volume,
free, of network-forming gasses in systems P_2O_5-(GeO_2, TeO_2, Sb_2O_3, V_2O_5) (9) C213
Wastes,
nuclear, redox chemistry of glasses for immobilizing (8) 591
Waveguides,
rectangular, inhomogeneously filled, dielectric measurements of package materials in (10) C278
X-rays,
line broadening, in γ-Fe_2O_3 (5) 321
Yttrium,
Y_2O_3, sintered powders, effect of agglomerate strength on density (11) C329
Zinc,
oxide, structural role in SiO_2 and Na_2O-SiO_2 glasses (11) 821
Zinc oxide,
-based resistors, effect of process variables on microstructure and *V-I* characteristics (9) 643
varistors, effects of Sb_2O_3 on characteristics (4) 237
origin of (4) C71
Zirconium,
$2ZrO_2$·P_2O_5-based ceramics, low-thermal-expansion polycrystalline (8) 585
ZrF_4, photoluminescence and absorption of (4) C81
Zirconium dioxide,
Ce-TZP, fracture toughness measurements, evaluation of (12) C366
PSZ, Ca-, microstructural evolution in (4) 214
(Mg,Y)-, ternary, morphology of *t*-ZrO_2 in (4) 208
MgO-, eutectoid decomposition of (6) 431
Y_2O_3-doped, high-pressure phase transitions in (10) 760
Y_2O_3-stabilized, diffusional creep and kinetic demixing in (8) 531
electrochemical reaction with molten Na_2SO_4, in situ laser Raman study (9) C220
-containing ceramics, transformation toughening in (10) 689
cubic, structural transformation in (9) C218
fibers, high-strength (8) C187
high-pressure phase, metastable retention of (9) 628
inclusions in, Al_2O_3 (11) 827
phase transitions in, high-pressure (10) 760
polymorphic mixes of, XRD study (5) 367
stabilized, Y_2O_3 tetragonal, effect of amorphous second phase on properties (1) 54
surface characterization, after reaction with water (9) C212
tetragonal, with 3 mol% Y_2O_3, low-temperature aging of (8) 537
instability in (4) 214
toughening, whisker reinforcement as (9) 651
transformation-toughened, fatigue crack propagation in (10) C248